

ISO 20022

Bank Services Billing - Maintenance 2023 - 2024

## Message Definition Report - Part 2

Approved by the Payments SEG on 08 January 2024

This document provides details of the Message Definitions for Bank Services Billing - Maintenance 2023 - 2024.

March 2024

# Table of Contents

- 1 Message Set Overview ..... 3**
  - 1.1 List of MessageDefinitions ..... 3
- 2 camt.086.001.05 BankServicesBillingStatementV05 ..... 4**
  - 2.1 MessageDefinition Functionality ..... 4
  - 2.2 Structure ..... 5
  - 2.3 Constraints ..... 11
  - 2.4 Message Building Blocks ..... 12
- 3 Message Items Types ..... 88**
  - 3.1 MessageComponents ..... 88
  - 3.2 Message Datatypes ..... 118

# 1 Message Set Overview

## Introduction

This document describes the Bank Services Billing message set. It includes the new version of the MessageDefinitions that have been added as part of the maintenance cycle 2023-2024 (See MCR #234) and approved by the Payments Standards Evaluation Group on 08 January 2024.

## 1.1 List of MessageDefinitions

The following table lists all MessageDefinitions described in this book.

MessageDefinition	Definition
camt.086.001.05 BankServicesBillingStatementV05	The BankServicesBillingStatement message is used to send from a Financial Institution (FI) to its wholesale customers (corporations, governments, institutions, etc.), information describing the FI's billing of services rendered in the form of an electronic statement in a standardised format. The BankServicesBillingStatement is a periodic (usually end of month) recounting of all service chargeable events that occurred during a reporting cycle, typically a calendar month, along with detailed tax and currency translation information. Account balance information, although strongly recommended, is not required.

## 2 **camt.086.001.05 BankServicesBillingStatementV05**

### 2.1 **MessageDefinition Functionality**

#### Scope

The BankServicesBillingStatement message is used to send from a Financial Institution (FI) to its wholesale customers (corporations, governments, institutions, etc.), information describing the FI's billing of services rendered in the form of an electronic statement in a standardised format. The BankServicesBillingStatement is a periodic (usually end of month) recounting of all service chargeable events that occurred during a reporting cycle, typically a calendar month, along with detailed tax and currency translation information. Account balance information, although strongly recommended, is not required.

#### Usage

The BankServicesBillingStatement message is designed to provide details related to invoices (or an advice of debit) which a financial institution may supply to its customers. The BankServicesBillingStatement is not expressly designed to be an invoice, nor to replace invoices currently in use. The message may be used as an invoice by agreement between the sender and the receiver. No regulatory or legislative requirements were considered when creating this message standard. Users of the BankServicesBillingStatement message are cautioned to be aware of any regulatory or legal requirement for invoices before replacing existing invoices.

The BankServicesBillingStatement message can supply the detail supporting separate invoices or debits but it is not the invoice or advice of debit of record. The BankServicesBillingStatement message must accurately reflect all the charge and tax related events that occurred during the calendar month and how the FI and taxing authorities were compensated for these events. The BankServicesBillingStatement does not ask the financial institution to revise its established pricing and billing procedures.

How, when and what the customer is actually charged for remains in place. The BankServicesBillingStatement message asks the financial institution to aggregate and report what actually happened during the calendar month.

The BankServicesBillingStatement message is intended for use with the ISO 20022 Business Application Header.

#### Outline

The BankServicesBillingStatementV05 MessageDefinition is composed of 2 MessageBuildingBlocks:

A. ReportHeader

Provides header details on the billing statement report.

B. BillingStatementGroup

Group of bank services billing statements with the same sender and receiver characteristics.

## 2.2 Structure

Or	MessageElement/BuildingBlock<XML Tag>	Mult.	Type	Constr. No.	Page
	Message root <Document> <BkSvcsBllgStmnt>	[1..1]			
	ReportHeader <RptHdr>	[1..1]		C11	12
	ReportIdentification <RptId>	[1..1]	Text		12
	MessagePagination <MsgPgntn>	[0..1]	±		13
	BillingStatementGroup <BllgStmntGrp>	[1..*]			13
	GroupIdentification <GrpId>	[1..1]	Text		20
	Sender <Sndr>	[1..1]	±		20
	SenderIndividualContact <SndrIndvCtct>	[0..2]	±		21
	Receiver <Rcvr>	[1..1]	±		21
	ReceiverIndividualContact <RcvrIndvCtct>	[0..2]	±		22
	BillingStatement <BllgStmnt>	[1..*]			23
	StatementIdentification <StmntId>	[1..1]	Text		30
	FromToDate <FrToDt>	[1..1]			30
	FromDate <FrDt>	[0..1]	Date		30
	ToDate <ToDt>	[1..1]	Date		30
	CreationDateTime <CreDtTm>	[1..1]	DateTime		30
	Status <Sts>	[1..1]	CodeSet		30
	AccountCharacteristics <AcctChrtcs>	[1..1]			30
	AccountLevel <AcctLvl>	[1..1]	CodeSet		31
	CashAccount <CshAcct>	[1..1]	±	C10, C9	32
	AccountServicer <AcctSvcr>	[0..1]	±		32
	ParentAccount <PrntAcct>	[0..1]			33
	Level <Lvl>	[0..1]	CodeSet		33
	Identification <Id>	[1..1]	±	C10, C9	34
	Servicer <Svcr>	[0..1]	±		34
	CompensationMethod <CompstnMtd>	[1..1]	CodeSet		35
	DebitAccount <DbtAcct>	[0..1]	±		35
	DelayedDebitDate <DelydDbtDt>	[0..1]	Date		36
	SettlementAdvice <SttlmAdv<	[0..1]	Text		36
	AccountBalanceCurrencyCode <AcctBalCcyCd>	[1..1]	CodeSet	C1	36

Or	MessageElement/BuildingBlock<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>SettlementCurrencyCode</b> <SttlmCcyCd>	[0..1]	CodeSet	C1	36
	<b>HostCurrencyCode</b> <HstCcyCd>	[0..1]	CodeSet	C1	37
	<b>Tax</b> <Tax>	[0..1]			37
	<b>CalculationMethod</b> <ClctnMtd>	[1..1]	CodeSet		37
	<b>Region</b> <Rgn>	[0..1]	Text		38
	<b>NonResidenceCountry</b> <NonResCtry>	[0..1]			38
{Or	<b>Country</b> <Ctry>	[1..1]	CodeSet	C4	38
Or}	<b>Area</b> <Area>	[1..1]	Text		38
	<b>AccountServicerContact</b> <AcctSvcrCtct>	[1..1]	±		38
	<b>RateData</b> <RateData>	[0..*]			39
	<b>Identification</b> <Id>	[1..1]			40
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		40
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		40
	<b>Value</b> <Val>	[1..1]	Rate		40
	<b>DaysInPeriod</b> <DaysInPrd>	[0..1]	Quantity		40
	<b>DaysInYear</b> <DaysInYr>	[0..1]	Quantity		40
	<b>CurrencyExchange</b> <CcyXchg>	[0..*]			40
	<b>SourceCurrency</b> <SrcCcy>	[1..1]	CodeSet	C1	41
	<b>TargetCurrency</b> <TrgtCcy>	[1..1]	CodeSet	C1	41
	<b>ExchangeRate</b> <XchgRate>	[1..1]	Rate		41
	<b>Description</b> <Desc>	[0..1]	Text		42
	<b>UnitCurrency</b> <UnitCcy>	[0..1]	CodeSet	C1	42
	<b>Comments</b> <Cmnts>	[0..1]	Text		42
	<b>QuotationDate</b> <QtnDt>	[0..1]	DateTime		42
	<b>Balance</b> <Bal>	[0..*]			42
	<b>Type</b> <Tp>	[1..1]			43
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		43
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		43
	<b>Value</b> <Val>	[1..1]	±		43
	<b>CurrencyType</b> <CcyTp>	[0..1]	CodeSet		43
	<b>Compensation</b> <Compstn>	[0..*]			44

Or	MessageElement/BuildingBlock<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Type</b> <Tp>	[1..1]			44
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		44
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		44
	<b>Value</b> <Val>	[1..1]	±		44
	<b>CurrencyType</b> <CcyTp>	[0..1]	CodeSet		45
	<b>Service</b> <Svc>	[0..*]			45
	<b>ServiceDetail</b> <SvcDtl>	[1..1]			48
	<b>BankService</b> <BkSvc>	[1..1]			48
	<b>Identification</b> <Id>	[1..1]	Text		49
	<b>SubService</b> <SubSvc>	[0..1]			49
	<b>Issuer</b> <Issr>	[1..1]			49
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		50
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		50
	<b>Identification</b> <Id>	[1..1]	Text		50
	<b>Description</b> <Desc>	[1..1]	Text		50
	<b>CommonCode</b> <CmonCd>	[0..1]			51
	<b>Issuer</b> <Issr>	[1..1]	Text		51
	<b>Identification</b> <Id>	[1..1]	Text		51
	<b>BankTransactionCode</b> <BkTxCd>	[0..1]	±	C6, C7	51
	<b>ServiceType</b> <SvcTp>	[0..1]	Text		52
	<b>Volume</b> <Vol>	[0..1]	Quantity		52
	<b>Price</b> <Pric>	[0..1]			52
	<b>Currency</b> <Ccy>	[0..1]	CodeSet	C1	52
	<b>UnitPrice</b> <UnitPric>	[0..1]	±		52
	<b>Method</b> <Mtd>	[0..1]	CodeSet		53
	<b>Rule</b> <Rule>	[0..1]	Text		54
	<b>PaymentMethod</b> <PmtMtd>	[1..1]	CodeSet		55
	<b>OriginalChargePrice</b> <OrgnlChrgPric>	[1..1]	±		55
	<b>OriginalChargeSettlementAmount</b> <OrgnlChrgSttlmAmt>	[0..1]	±		55
	<b>BalanceRequiredAccountAmount</b> <BalReqrdAcctAmt>	[0..1]	±		56
	<b>TaxDesignation</b> <TaxDsgnt>	[1..1]		C12	56

Or	MessageElement/BuildingBlock<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Code</b> <Cd>	[1..1]	CodeSet		56
	<b>Region</b> <Rgn>	[0..1]	Text		57
	<b>TaxReason</b> <TaxRsn>	[0..*]			57
	<b>Code</b> <Cd>	[1..1]	Text		57
	<b>Explanation</b> <Expltn>	[1..1]	Text		57
	<b>TaxCalculation</b> <TaxClctn>	[0..1]			57
{Or	<b>MethodA</b> <MtdA>	[1..1]			59
	<b>ServiceChargeHostAmount</b> <SvcChrgHstAmt>	[1..1]	±		59
	<b>ServiceTax</b> <SvcTax>	[1..1]			59
	<b>HostAmount</b> <HstAmt>	[1..1]	±		60
	<b>PricingAmount</b> <PricgAmt>	[0..1]	±		60
	<b>TotalCharge</b> <TtlChrg>	[1..1]			60
	<b>HostAmount</b> <HstAmt>	[1..1]	±		61
	<b>SettlementAmount</b> <SttlmAmt>	[0..1]	±		61
	<b>PricingAmount</b> <PricgAmt>	[0..1]	±		61
	<b>TaxIdentification</b> <TaxId>	[1..3]			61
	<b>Number</b> <Nb>	[1..1]	Text		62
	<b>Description</b> <Desc>	[0..1]	Text		62
	<b>Rate</b> <Rate>	[1..1]	Quantity		62
	<b>HostAmount</b> <HstAmt>	[1..1]	±		62
	<b>PricingAmount</b> <PricgAmt>	[0..1]	±		62
Or	<b>MethodB</b> <MtdB>	[1..1]			63
	<b>ServiceChargeHostAmount</b> <SvcChrgHstAmt>	[1..1]	±		63
	<b>ServiceTax</b> <SvcTax>	[1..1]			63
	<b>HostAmount</b> <HstAmt>	[1..1]	±		64
	<b>PricingAmount</b> <PricgAmt>	[0..1]	±		64
	<b>TaxIdentification</b> <TaxId>	[1..3]			64
	<b>Number</b> <Nb>	[1..1]	Text		65
	<b>Description</b> <Desc>	[0..1]	Text		65
	<b>Rate</b> <Rate>	[1..1]	Quantity		65
	<b>HostAmount</b> <HstAmt>	[1..1]	±		65

Or	MessageElement/BuildingBlock<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>PricingAmount</b> <PricgAmt>	[0..1]	±		65
Or}	<b>MethodD</b> <MtdD>	[1..1]			66
	<b>ServiceTaxPriceAmount</b> <SvcTaxPricAmt>	[1..1]	±		66
	<b>TaxIdentification</b> <TaxId>	[1..3]			66
	<b>Number</b> <Nb>	[1..1]	Text		67
	<b>Description</b> <Desc>	[0..1]	Text		67
	<b>Rate</b> <Rate>	[1..1]	Quantity		67
	<b>PricingAmount</b> <PricgAmt>	[1..1]	±		67
	<b>TaxRegion</b> <TaxRgn>	[0..*]			67
	<b>RegionNumber</b> <RgnNb>	[1..1]	Text		69
	<b>RegionName</b> <RgnNm>	[1..1]	Text		69
	<b>CustomerTaxIdentification</b> <CstmrTaxId>	[1..1]	Text		69
	<b>PointDate</b> <PtDt>	[0..1]	Date		69
	<b>SendingFinancialInstitution</b> <SndgFI>	[0..1]			69
	<b>VATRegistrationNumber</b> <VATRegnNb>	[0..1]	Text		70
	<b>TaxRegistrationNumber</b> <TaxRegnNb>	[0..1]	Text		70
	<b>TaxContact</b> <TaxCtct>	[0..1]	±		70
	<b>InvoiceNumber</b> <InvcNb>	[0..1]	Text		71
	<b>MethodC</b> <MtdC>	[0..1]			71
	<b>ServiceDetail</b> <SvcDtl>	[1..*]			72
	<b>BankService</b> <BkSvc>	[1..1]			73
	<b>Identification</b> <Id>	[1..1]	Text		73
	<b>SubService</b> <SubSvc>	[0..1]			74
	<b>Issuer</b> <Issr>	[1..1]			74
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		74
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		75
	<b>Identification</b> <Id>	[1..1]	Text		75
	<b>Description</b> <Desc>	[1..1]	Text		75
	<b>Volume</b> <Vol>	[0..1]	Quantity		75
	<b>UnitPrice</b> <UnitPric>	[0..1]	±		75
	<b>ServiceChargeAmount</b> <SvcChrgAmt>	[1..1]	±		75

Or	MessageElement/BuildingBlock<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>TaxCalculation</b> <TaxClctn>	[1..1]			76
	<b>HostCurrency</b> <HstCcy>	[1..1]	CodeSet	C1	76
	<b>TaxableServiceChargeConversion</b> <TaxblSvcChrgConvs>	[1..*]			77
	<b>SourceAmount</b> <SrcAmt>	[1..1]	±		77
	<b>HostAmount</b> <HstAmt>	[1..1]	±		77
	<b>TotalTaxableServiceChargeHostAmount</b> <TtlTaxblSvcChrgHstAmt>	[1..1]	±		78
	<b>TaxIdentification</b> <TaxId>	[1..3]			78
	<b>Number</b> <Nb>	[1..1]	Text		78
	<b>Description</b> <Desc>	[0..1]	Text		78
	<b>Rate</b> <Rate>	[1..1]	Quantity		79
	<b>TotalTaxAmount</b> <TtlTaxAmt>	[1..1]	±		79
	<b>TotalTax</b> <TtlTax>	[1..1]	±		79
	<b>SettlementAmount</b> <SttlmAmt>	[1..1]	±		79
	<b>TaxDueToRegion</b> <TaxDueToRgn>	[1..1]	±		80
	<b>BalanceAdjustment</b> <BalAdjstmnt>	[0..*]			80
	<b>Type</b> <Tp>	[1..1]	CodeSet		80
	<b>Description</b> <Desc>	[1..1]	Text		81
	<b>BalanceAmount</b> <BalAmt>	[1..1]	±		81
	<b>AverageAmount</b> <AvrgAmt>	[0..1]	±		81
	<b>ErrorDate</b> <ErrDt>	[0..1]	Date		81
	<b>PostingDate</b> <PstngDt>	[1..1]	Date		81
	<b>Days</b> <Days>	[0..1]	Quantity		82
	<b>EarningsAdjustmentAmount</b> <EarngsAdjstmntAmt>	[0..1]	±		82
	<b>ServiceAdjustment</b> <SvcAdjstmnt>	[0..*]			82
	<b>Type</b> <Tp>	[1..1]	CodeSet		83
	<b>Description</b> <Desc>	[1..1]	Text		84
	<b>Amount</b> <Amt>	[1..1]	±		84
	<b>BalanceRequiredAmount</b> <BalReqrdAmt>	[0..1]	±		84
	<b>ErrorDate</b> <ErrDt>	[0..1]	Date		84
	<b>AdjustmentIdentification</b> <AdjstmntId>	[0..1]	Text		84
	<b>SubService</b> <SubSvc>	[0..1]			84

Or	MessageElement/BuildingBlock<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Issuer</b> <Issr>	[1..1]			85
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		85
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		85
	<b>Identification</b> <Id>	[1..1]	Text		86
	<b>PriceChange</b> <PricChng>	[0..1]	±		86
	<b>OriginalPrice</b> <OrgnlPric>	[0..1]	±		86
	<b>NewPrice</b> <NewPric>	[0..1]	±		86
	<b>VolumeChange</b> <VolChng>	[0..1]	Quantity		86
	<b>OriginalVolume</b> <OrgnlVol>	[0..1]	Quantity		87
	<b>NewVolume</b> <NewVol>	[0..1]	Quantity		87
	<b>OriginalChargeAmount</b> <OrgnlChrgAmt>	[0..1]	±		87
	<b>NewChargeAmount</b> <NewChrgAmt>	[0..1]	±		87

## 2.3 Constraints

### C1 ActiveOrHistoricCurrency

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

### C2 AnyBIC

Only a valid Business identifier code is allowed. Business identifier codes for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous characters.

### C3 BICFI

Valid BICs for financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consist of eight (8) or eleven (11) contiguous characters.

### C4 Country

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

### C5 CurrencyAmount

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot.

### C6 DomainOrProprietaryRule

Either Proprietary or Domain or both must be present.

**C7 FamilyAndSubFamilyRule**

If a specific (non-generic) Family code is not present, then a specific (non-generic) SubFamily code is not allowed.

**C8 IBAN**

A valid IBAN consists of all three of the following components: Country Code, check digits and BBAN.

**C9 IdentificationAndProxyGuideline**

If the account identification is not defined through a conventional identification such as an email address or a mobile number, then the proxy element should be used for the identification of the account.

**C10 IdentificationOrProxyPresenceRule**

Identification must be present or Proxy must be present. Both may be present.

**C11 MessagePaginationRule**

If MessagePagination is present, then ReportIdentification must be identical for all pages.

**C12 RegionPresenceRule**

If Region is present, then Code must be equal to ZeroRate or Taxable.

## 2.4 Message Building Blocks

This chapter describes the MessageBuildingBlocks of this MessageDefinition.

### 2.4.1 ReportHeader <RptHdr>

*Presence:* [1..1]

*Definition:* Provides header details on the billing statement report.

*Impacted by:* [C11 "MessagePaginationRule"](#)

**ReportHeader <RptHdr>** contains the following **ReportHeader6** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>ReportIdentification</b> <RptId>	[1..1]	Text		12
	<b>MessagePagination</b> <MsgPgtn>	[0..1]	±		13

#### Constraints

- **MessagePaginationRule**

If MessagePagination is present, then ReportIdentification must be identical for all pages.

#### 2.4.1.1 ReportIdentification <RptId>

*Presence:* [1..1]

*Definition:* Identification of a report billing statement.

*Datatype:* ["Max35Text"](#) on page 135

### 2.4.1.2 MessagePagination <MsgPgntn>

*Presence:* [0..1]

*Definition:* Provides details on the page number of the message.

Usage: The pagination of the message is only allowed when agreed between the parties.

**MessagePagination <MsgPgntn>** contains the following elements (see "Pagination1" on page 104 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	PageNumber <PgNb>	[1..1]	Text		104
	LastPageIndicator <LastPgInd>	[1..1]	Indicator		105

### 2.4.2 BillingStatementGroup <BlgStmntGrp>

*Presence:* [1..\*]

*Definition:* Group of bank services billing statements with the same sender and receiver characteristics.

**BillingStatementGroup <BllgStmntGrp>** contains the following **StatementGroup5** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>GroupIdentification</b> <Grpld>	[1..1]	Text		20
	<b>Sender</b> <Sndr>	[1..1]	±		20
	<b>SenderIndividualContact</b> <SndrIndvCtct>	[0..2]	±		21
	<b>Receiver</b> <Rcvr>	[1..1]	±		21
	<b>ReceiverIndividualContact</b> <RcvrIndvCtct>	[0..2]	±		22
	<b>BillingStatement</b> <BllgStmnt>	[1..*]			23
	<b>StatementIdentification</b> <StmntId>	[1..1]	Text		30
	<b>FromToDate</b> <FrToDt>	[1..1]			30
	<b>FromDate</b> <FrDt>	[0..1]	Date		30
	<b>ToDate</b> <ToDt>	[1..1]	Date		30
	<b>CreationDateTime</b> <CreDtTm>	[1..1]	DateTime		30
	<b>Status</b> <Sts>	[1..1]	CodeSet		30
	<b>AccountCharacteristics</b> <AcctChrtcs>	[1..1]			30
	<b>AccountLevel</b> <AcctLvl>	[1..1]	CodeSet		31
	<b>CashAccount</b> <CshAcct>	[1..1]	±	C10, C9	32
	<b>AccountServicer</b> <AcctSvcr>	[0..1]	±		32
	<b>ParentAccount</b> <PrntAcct>	[0..1]			33
	<b>Level</b> <Lvl>	[0..1]	CodeSet		33
	<b>Identification</b> <Id>	[1..1]	±	C10, C9	34
	<b>Servicer</b> <Svcr>	[0..1]	±		34
	<b>CompensationMethod</b> <CompstnMtd>	[1..1]	CodeSet		35
	<b>DebitAccount</b> <DbtAcct>	[0..1]	±		35
	<b>DelayedDebitDate</b> <DelydDbtDt>	[0..1]	Date		36
	<b>SettlementAdvice</b> <SttlmAdvc>	[0..1]	Text		36
	<b>AccountBalanceCurrencyCode</b> <AcctBalCcyCd>	[1..1]	CodeSet	C1	36
	<b>SettlementCurrencyCode</b> <SttlmCcyCd>	[0..1]	CodeSet	C1	36
	<b>HostCurrencyCode</b> <HstCcyCd>	[0..1]	CodeSet	C1	37
	<b>Tax</b> <Tax>	[0..1]			37
	<b>CalculationMethod</b> <ClctnMtd>	[1..1]	CodeSet		37
	<b>Region</b> <Rgn>	[0..1]	Text		38
	<b>NonResidenceCountry</b> <NonResCtry>	[0..1]			38

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	<b>Country</b> <Ctry>	[1..1]	CodeSet	C4	38
Or}	<b>Area</b> <Area>	[1..1]	Text		38
	<b>AccountServicerContact</b> <AcctSvcrCtct>	[1..1]	±		38
	<b>RateData</b> <RateData>	[0..*]			39
	<b>Identification</b> <Id>	[1..1]			40
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		40
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		40
	<b>Value</b> <Val>	[1..1]	Rate		40
	<b>DaysInPeriod</b> <DaysInPrd>	[0..1]	Quantity		40
	<b>DaysInYear</b> <DaysInYr>	[0..1]	Quantity		40
	<b>CurrencyExchange</b> <CcyXchg>	[0..*]			40
	<b>SourceCurrency</b> <SrcCcy>	[1..1]	CodeSet	C1	41
	<b>TargetCurrency</b> <TrgtCcy>	[1..1]	CodeSet	C1	41
	<b>ExchangeRate</b> <XchgRate>	[1..1]	Rate		41
	<b>Description</b> <Desc>	[0..1]	Text		42
	<b>UnitCurrency</b> <UnitCcy>	[0..1]	CodeSet	C1	42
	<b>Comments</b> <Cmnts>	[0..1]	Text		42
	<b>QuotationDate</b> <QtnDt>	[0..1]	DateTime		42
	<b>Balance</b> <Bal>	[0..*]			42
	<b>Type</b> <Tp>	[1..1]			43
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		43
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		43
	<b>Value</b> <Val>	[1..1]	±		43
	<b>CurrencyType</b> <CcyTp>	[0..1]	CodeSet		43
	<b>Compensation</b> <Compstn>	[0..*]			44
	<b>Type</b> <Tp>	[1..1]			44
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		44
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		44
	<b>Value</b> <Val>	[1..1]	±		44
	<b>CurrencyType</b> <CcyTp>	[0..1]	CodeSet		45
	<b>Service</b> <Svc>	[0..*]			45

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>ServiceDetail</b> <SvcDtl>	[1..1]			48
	<b>BankService</b> <BkSvc>	[1..1]			48
	<b>Identification</b> <Id>	[1..1]	Text		49
	<b>SubService</b> <SubSvc>	[0..1]			49
	<b>Issuer</b> <Issr>	[1..1]			49
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		50
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		50
	<b>Identification</b> <Id>	[1..1]	Text		50
	<b>Description</b> <Desc>	[1..1]	Text		50
	<b>CommonCode</b> <CmonCd>	[0..1]			51
	<b>Issuer</b> <Issr>	[1..1]	Text		51
	<b>Identification</b> <Id>	[1..1]	Text		51
	<b>BankTransactionCode</b> <BkTxCd>	[0..1]	±	C6, C7	51
	<b>ServiceType</b> <SvcTp>	[0..1]	Text		52
	<b>Volume</b> <Vol>	[0..1]	Quantity		52
	<b>Price</b> <Pric>	[0..1]			52
	<b>Currency</b> <Ccy>	[0..1]	CodeSet	C1	52
	<b>UnitPrice</b> <UnitPric>	[0..1]	±		52
	<b>Method</b> <Mtd>	[0..1]	CodeSet		53
	<b>Rule</b> <Rule>	[0..1]	Text		54
	<b>PaymentMethod</b> <PmtMtd>	[1..1]	CodeSet		55
	<b>OriginalChargePrice</b> <OrgnlChrgPric>	[1..1]	±		55
	<b>OriginalChargeSettlementAmount</b> <OrgnlChrgSttlmAmt>	[0..1]	±		55
	<b>BalanceRequiredAccountAmount</b> <BalReqrdAcctAmt>	[0..1]	±		56
	<b>TaxDesignation</b> <TaxDsgnt>	[1..1]		C12	56
	<b>Code</b> <Cd>	[1..1]	CodeSet		56
	<b>Region</b> <Rgn>	[0..1]	Text		57
	<b>TaxReason</b> <TaxRsn>	[0..*]			57
	<b>Code</b> <Cd>	[1..1]	Text		57
	<b>Explanation</b> <Expltn>	[1..1]	Text		57
	<b>TaxCalculation</b> <TaxClctn>	[0..1]			57

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	<b>MethodA</b> <MtdA>	[1..1]			59
	<b>ServiceChargeHostAmount</b> <SvcChrgHstAmt>	[1..1]	±		59
	<b>ServiceTax</b> <SvcTax>	[1..1]			59
	<b>HostAmount</b> <HstAmt>	[1..1]	±		60
	<b>PricingAmount</b> <PricgAmt>	[0..1]	±		60
	<b>TotalCharge</b> <TtlChrg>	[1..1]			60
	<b>HostAmount</b> <HstAmt>	[1..1]	±		61
	<b>SettlementAmount</b> <SttlmAmt>	[0..1]	±		61
	<b>PricingAmount</b> <PricgAmt>	[0..1]	±		61
	<b>TaxIdentification</b> <TaxId>	[1..3]			61
	<b>Number</b> <Nb>	[1..1]	Text		62
	<b>Description</b> <Desc>	[0..1]	Text		62
	<b>Rate</b> <Rate>	[1..1]	Quantity		62
	<b>HostAmount</b> <HstAmt>	[1..1]	±		62
	<b>PricingAmount</b> <PricgAmt>	[0..1]	±		62
Or	<b>MethodB</b> <MtdB>	[1..1]			63
	<b>ServiceChargeHostAmount</b> <SvcChrgHstAmt>	[1..1]	±		63
	<b>ServiceTax</b> <SvcTax>	[1..1]			63
	<b>HostAmount</b> <HstAmt>	[1..1]	±		64
	<b>PricingAmount</b> <PricgAmt>	[0..1]	±		64
	<b>TaxIdentification</b> <TaxId>	[1..3]			64
	<b>Number</b> <Nb>	[1..1]	Text		65
	<b>Description</b> <Desc>	[0..1]	Text		65
	<b>Rate</b> <Rate>	[1..1]	Quantity		65
	<b>HostAmount</b> <HstAmt>	[1..1]	±		65
	<b>PricingAmount</b> <PricgAmt>	[0..1]	±		65
Or}	<b>MethodD</b> <MtdD>	[1..1]			66
	<b>ServiceTaxPriceAmount</b> <SvcTaxPricAmt>	[1..1]	±		66
	<b>TaxIdentification</b> <TaxId>	[1..3]			66
	<b>Number</b> <Nb>	[1..1]	Text		67
	<b>Description</b> <Desc>	[0..1]	Text		67

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Rate</b> <Rate>	[1..1]	Quantity		67
	<b>PricingAmount</b> <PricgAmt>	[1..1]	±		67
	<b>TaxRegion</b> <TaxRgn>	[0..*]			67
	<b>RegionNumber</b> <RgnNb>	[1..1]	Text		69
	<b>RegionName</b> <RgnNm>	[1..1]	Text		69
	<b>CustomerTaxIdentification</b> <CstmrTaxId>	[1..1]	Text		69
	<b>PointDate</b> <PtDt>	[0..1]	Date		69
	<b>SendingFinancialInstitution</b> <SndgFI>	[0..1]			69
	<b>VATRegistrationNumber</b> <VATRegnNb>	[0..1]	Text		70
	<b>TaxRegistrationNumber</b> <TaxRegnNb>	[0..1]	Text		70
	<b>TaxContact</b> <TaxCtct>	[0..1]	±		70
	<b>InvoiceNumber</b> <InvcNb>	[0..1]	Text		71
	<b>MethodC</b> <MtdC>	[0..1]			71
	<b>ServiceDetail</b> <SvcDtl>	[1..*]			72
	<b>BankService</b> <BkSvc>	[1..1]			73
	<b>Identification</b> <Id>	[1..1]	Text		73
	<b>SubService</b> <SubSvc>	[0..1]			74
	<b>Issuer</b> <Issr>	[1..1]			74
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		74
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		75
	<b>Identification</b> <Id>	[1..1]	Text		75
	<b>Description</b> <Desc>	[1..1]	Text		75
	<b>Volume</b> <Vol>	[0..1]	Quantity		75
	<b>UnitPrice</b> <UnitPric>	[0..1]	±		75
	<b>ServiceChargeAmount</b> <SvcChrgAmt>	[1..1]	±		75
	<b>TaxCalculation</b> <TaxClctn>	[1..1]			76
	<b>HostCurrency</b> <HstCcy>	[1..1]	CodeSet	C1	76
	<b>TaxableServiceChargeConversion</b> <TaxblSvcChrgConv>	[1..*]			77
	<b>SourceAmount</b> <SrcAmt>	[1..1]	±		77
	<b>HostAmount</b> <HstAmt>	[1..1]	±		77
	<b>TotalTaxableServiceChargeHostAmount</b> <TtlTaxblSvcChrgHstAmt>	[1..1]	±		78

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>TaxIdentification</b> <TaxId>	[1..3]			78
	<b>Number</b> <Nb>	[1..1]	Text		78
	<b>Description</b> <Desc>	[0..1]	Text		78
	<b>Rate</b> <Rate>	[1..1]	Quantity		79
	<b>TotalTaxAmount</b> <TtlTaxAmt>	[1..1]	±		79
	<b>TotalTax</b> <TtlTax>	[1..1]	±		79
	<b>SettlementAmount</b> <SttlmAmt>	[1..1]	±		79
	<b>TaxDueToRegion</b> <TaxDueToRgn>	[1..1]	±		80
	<b>BalanceAdjustment</b> <BalAdjstmnt>	[0..*]			80
	<b>Type</b> <Tp>	[1..1]	CodeSet		80
	<b>Description</b> <Desc>	[1..1]	Text		81
	<b>BalanceAmount</b> <BalAmt>	[1..1]	±		81
	<b>AverageAmount</b> <AvrgAmt>	[0..1]	±		81
	<b>ErrorDate</b> <ErrDt>	[0..1]	Date		81
	<b>PostingDate</b> <PstngDt>	[1..1]	Date		81
	<b>Days</b> <Days>	[0..1]	Quantity		82
	<b>EarningsAdjustmentAmount</b> <EarngsAdjstmntAmt>	[0..1]	±		82
	<b>ServiceAdjustment</b> <SvcAdjstmnt>	[0..*]			82
	<b>Type</b> <Tp>	[1..1]	CodeSet		83
	<b>Description</b> <Desc>	[1..1]	Text		84
	<b>Amount</b> <Amt>	[1..1]	±		84
	<b>BalanceRequiredAmount</b> <BalReqrdAmt>	[0..1]	±		84
	<b>ErrorDate</b> <ErrDt>	[0..1]	Date		84
	<b>AdjustmentIdentification</b> <AdjstmntId>	[0..1]	Text		84
	<b>SubService</b> <SubSvc>	[0..1]			84
	<b>Issuer</b> <Issr>	[1..1]			85
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		85
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		85
	<b>Identification</b> <Id>	[1..1]	Text		86
	<b>PriceChange</b> <PricChng>	[0..1]	±		86
	<b>OriginalPrice</b> <OrgnlPric>	[0..1]	±		86

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>NewPrice</b> <NewPric>	[0..1]	±		86
	<b>VolumeChange</b> <VolChng>	[0..1]	Quantity		86
	<b>OriginalVolume</b> <OrgnlVol>	[0..1]	Quantity		87
	<b>NewVolume</b> <NewVol>	[0..1]	Quantity		87
	<b>OriginalChargeAmount</b> <OrgnlChrgAmt>	[0..1]	±		87
	<b>NewChargeAmount</b> <NewChrgAmt>	[0..1]	±		87

### 2.4.2.1 GroupIdentification <Grpld>

*Presence:* [1..1]

*Definition:* Identification of a group of customer billing statements.

*Datatype:* "Max35Text" on page 135

### 2.4.2.2 Sender <Sndr>

*Presence:* [1..1]

*Definition:* Originating financial institution sending the statement.

**Sender <Sndr>** contains the following elements (see "PartyIdentification273" on page 105 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Name <Nm>	[1..1]	Text		105
	LegalName <LglNm>	[0..1]	Text		105
	PostalAddress <PstlAdr>	[0..1]	±		106
	Identification <Id>	[1..1]			106
{Or	OrganisationIdentification <Orgld>	[1..1]			107
	AnyBIC <AnyBIC>	[0..1]	IdentifierSet	C2	107
	LEI <LEI>	[0..1]	IdentifierSet		108
	Other <Othr>	[0..*]			108
	Identification <Id>	[1..1]	Text		108
	SchemeName <SchmeNm>	[0..1]			108
{Or	Code <Cd>	[1..1]	CodeSet		108
Or}	Proprietary <Prtry>	[1..1]	Text		109
	Issuer <Issr>	[0..1]	Text		109
Or}	FinancialInstitutionIdentification <FIld>	[1..1]	±		109
	CountryOfResidence <CtryOfRes>	[0..1]	CodeSet	C4	109
	ContactDetails <CtctDtls>	[0..1]	±		109

### 2.4.2.3 SenderIndividualContact <SndrIndvCtct>

*Presence:* [0..2]

*Definition:* Specifies the individual to contact in case of technical problems at the sender's location.

**SenderIndividualContact <SndrIndvCtct>** contains the following elements (see "[Contact13](#)" on page 110 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	NamePrefix <NmPrfx>	[0..1]	CodeSet		111
	Name <Nm>	[0..1]	Text		111
	PhoneNumber <PhneNb>	[0..1]	Text		111
	MobileNumber <MobNb>	[0..1]	Text		112
	FaxNumber <FaxNb>	[0..1]	Text		112
	URLAddress <URLAdr>	[0..1]	Text		112
	EmailAddress <EmailAdr>	[0..1]	Text		112
	EmailPurpose <EmailPurp>	[0..1]	Text		112
	JobTitle <JobTitl>	[0..1]	Text		112
	Responsibility <Rspnsblty>	[0..1]	Text		112
	Department <Dept>	[0..1]	Text		112
	Other <Othr>	[0..*]			113
	ChannelType <ChanlTp>	[1..1]	Text		113
	Identification <Id>	[0..1]	Text		113
	PreferredMethod <PrefrdMtd>	[0..1]	CodeSet		113

### 2.4.2.4 Receiver <Rcvr>

*Presence:* [1..1]

*Definition:* Financial institution customer receiving the statement.

**Receiver <Rcvr>** contains the following elements (see "PartyIdentification273" on page 105 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Name <Nm>	[1..1]	Text		105
	LegalName <LglNm>	[0..1]	Text		105
	PostalAddress <PstlAdr>	[0..1]	±		106
	Identification <Id>	[1..1]			106
{Or	OrganisationIdentification <OrgId>	[1..1]			107
	AnyBIC <AnyBIC>	[0..1]	IdentifierSet	C2	107
	LEI <LEI>	[0..1]	IdentifierSet		108
	Other <Othr>	[0..*]			108
	Identification <Id>	[1..1]	Text		108
	SchemeName <SchmeNm>	[0..1]			108
{Or	Code <Cd>	[1..1]	CodeSet		108
Or}	Proprietary <Prtry>	[1..1]	Text		109
	Issuer <Issr>	[0..1]	Text		109
Or}	FinancialInstitutionIdentification <FIId>	[1..1]	±		109
	CountryOfResidence <CtryOfRes>	[0..1]	CodeSet	C4	109
	ContactDetails <CtctDtls>	[0..1]	±		109

#### 2.4.2.5 ReceiverIndividualContact <RcvrIndvCtct>

*Presence:* [0..2]

*Definition:* Specifies the individual to contact in case of technical problems at the receiver's location.

**ReceiverIndividualContact <RcvrIndvCtct>** contains the following elements (see "Contact13" on page 110 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	NamePrefix <NmPrfx>	[0..1]	CodeSet		111
	Name <Nm>	[0..1]	Text		111
	PhoneNumber <PhneNb>	[0..1]	Text		111
	MobileNumber <MobNb>	[0..1]	Text		112
	FaxNumber <FaxNb>	[0..1]	Text		112
	URLAddress <URLAdr>	[0..1]	Text		112
	EmailAddress <EmailAdr>	[0..1]	Text		112
	EmailPurpose <EmailPurp>	[0..1]	Text		112
	JobTitle <JobTitl>	[0..1]	Text		112
	Responsibility <Rspnsblty>	[0..1]	Text		112
	Department <Dept>	[0..1]	Text		112
	Other <Othr>	[0..*]			113
	ChannelType <ChanlTp>	[1..1]	Text		113
	Identification <Id>	[0..1]	Text		113
	PreferredMethod <PrefrdMtd>	[0..1]	CodeSet		113

#### 2.4.2.6 BillingStatement <BllgStmt>

*Presence:* [1..\*]

*Definition:* Provides the bank services billing statement recounting of all service chargeable events that occurred during a reporting cycle, such as the end of the month reporting.

**BillingStatement** <BlgStmnt> contains the following **BillingStatement5** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>StatementIdentification</b> <StmntId>	[1..1]	Text		30
	<b>FromToDate</b> <FrToDt>	[1..1]			30
	<b>FromDate</b> <FrDt>	[0..1]	Date		30
	<b>ToDate</b> <ToDt>	[1..1]	Date		30
	<b>CreationDateTime</b> <CreDtTm>	[1..1]	DateTime		30
	<b>Status</b> <Sts>	[1..1]	CodeSet		30
	<b>AccountCharacteristics</b> <AcctChrtcs>	[1..1]			30
	<b>AccountLevel</b> <AcctLvl>	[1..1]	CodeSet		31
	<b>CashAccount</b> <CshAcct>	[1..1]	±	C10, C9	32
	<b>AccountServicer</b> <AcctSvcr>	[0..1]	±		32
	<b>ParentAccount</b> <PrntAcct>	[0..1]			33
	<b>Level</b> <Lvl>	[0..1]	CodeSet		33
	<b>Identification</b> <Id>	[1..1]	±	C10, C9	34
	<b>Servicer</b> <Svcr>	[0..1]	±		34
	<b>CompensationMethod</b> <CompstnMtd>	[1..1]	CodeSet		35
	<b>DebitAccount</b> <DbtAcct>	[0..1]	±		35
	<b>DelayedDebitDate</b> <DelydDbtDt>	[0..1]	Date		36
	<b>SettlementAdvice</b> <SttlmAdvc>	[0..1]	Text		36
	<b>AccountBalanceCurrencyCode</b> <AcctBalCcyCd>	[1..1]	CodeSet	C1	36
	<b>SettlementCurrencyCode</b> <SttlmCcyCd>	[0..1]	CodeSet	C1	36
	<b>HostCurrencyCode</b> <HstCcyCd>	[0..1]	CodeSet	C1	37
	<b>Tax</b> <Tax>	[0..1]			37
	<b>CalculationMethod</b> <ClctnMtd>	[1..1]	CodeSet		37
	<b>Region</b> <Rgn>	[0..1]	Text		38
	<b>NonResidenceCountry</b> <NonResCtry>	[0..1]			38
{Or	<b>Country</b> <Ctry>	[1..1]	CodeSet	C4	38
Or}	<b>Area</b> <Area>	[1..1]	Text		38
	<b>AccountServicerContact</b> <AcctSvcrCtct>	[1..1]	±		38
	<b>RateData</b> <RateData>	[0..*]			39
	<b>Identification</b> <Id>	[1..1]			40
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		40

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		40
	<b>Value</b> <Val>	[1..1]	Rate		40
	<b>DaysInPeriod</b> <DaysInPrd>	[0..1]	Quantity		40
	<b>DaysInYear</b> <DaysInYr>	[0..1]	Quantity		40
	<b>CurrencyExchange</b> <CcyXchg>	[0..*]			40
	<b>SourceCurrency</b> <SrcCcy>	[1..1]	CodeSet	C1	41
	<b>TargetCurrency</b> <TrgtCcy>	[1..1]	CodeSet	C1	41
	<b>ExchangeRate</b> <XchgRate>	[1..1]	Rate		41
	<b>Description</b> <Desc>	[0..1]	Text		42
	<b>UnitCurrency</b> <UnitCcy>	[0..1]	CodeSet	C1	42
	<b>Comments</b> <Cmnts>	[0..1]	Text		42
	<b>QuotationDate</b> <QtnDt>	[0..1]	DateTime		42
	<b>Balance</b> <Bal>	[0..*]			42
	<b>Type</b> <Tp>	[1..1]			43
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		43
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		43
	<b>Value</b> <Val>	[1..1]	±		43
	<b>CurrencyType</b> <CcyTp>	[0..1]	CodeSet		43
	<b>Compensation</b> <Compstn>	[0..*]			44
	<b>Type</b> <Tp>	[1..1]			44
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		44
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		44
	<b>Value</b> <Val>	[1..1]	±		44
	<b>CurrencyType</b> <CcyTp>	[0..1]	CodeSet		45
	<b>Service</b> <Svc>	[0..*]			45
	<b>ServiceDetail</b> <SvcDtl>	[1..1]			48
	<b>BankService</b> <BkSvc>	[1..1]			48
	<b>Identification</b> <Id>	[1..1]	Text		49
	<b>SubService</b> <SubSvc>	[0..1]			49
	<b>Issuer</b> <Issr>	[1..1]			49
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		50

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		50
	<b>Identification</b> <Id>	[1..1]	Text		50
	<b>Description</b> <Desc>	[1..1]	Text		50
	<b>CommonCode</b> <CmonCd>	[0..1]			51
	<b>Issuer</b> <Issr>	[1..1]	Text		51
	<b>Identification</b> <Id>	[1..1]	Text		51
	<b>BankTransactionCode</b> <BkTxCd>	[0..1]	±	C6, C7	51
	<b>ServiceType</b> <SvcTp>	[0..1]	Text		52
	<b>Volume</b> <Vol>	[0..1]	Quantity		52
	<b>Price</b> <Pric>	[0..1]			52
	<b>Currency</b> <Ccy>	[0..1]	CodeSet	C1	52
	<b>UnitPrice</b> <UnitPric>	[0..1]	±		52
	<b>Method</b> <Mtd>	[0..1]	CodeSet		53
	<b>Rule</b> <Rule>	[0..1]	Text		54
	<b>PaymentMethod</b> <PmtMtd>	[1..1]	CodeSet		55
	<b>OriginalChargePrice</b> <OrgnlChrgPric>	[1..1]	±		55
	<b>OriginalChargeSettlementAmount</b> <OrgnlChrgSttlmAmt>	[0..1]	±		55
	<b>BalanceRequiredAccountAmount</b> <BalReqrdAcctAmt>	[0..1]	±		56
	<b>TaxDesignation</b> <TaxDsgnt>	[1..1]		C12	56
	<b>Code</b> <Cd>	[1..1]	CodeSet		56
	<b>Region</b> <Rgn>	[0..1]	Text		57
	<b>TaxReason</b> <TaxRsn>	[0..*]			57
	<b>Code</b> <Cd>	[1..1]	Text		57
	<b>Explanation</b> <Expltn>	[1..1]	Text		57
	<b>TaxCalculation</b> <TaxClctn>	[0..1]			57
{Or	<b>MethodA</b> <MtdA>	[1..1]			59
	<b>ServiceChargeHostAmount</b> <SvcChrgHstAmt>	[1..1]	±		59
	<b>ServiceTax</b> <SvcTax>	[1..1]			59
	<b>HostAmount</b> <HstAmt>	[1..1]	±		60
	<b>PricingAmount</b> <PricgAmt>	[0..1]	±		60
	<b>TotalCharge</b> <TtlChrg>	[1..1]			60

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>HostAmount</b> <HstAmt>	[1..1]	±		61
	<b>SettlementAmount</b> <SttlmAmt>	[0..1]	±		61
	<b>PricingAmount</b> <PricgAmt>	[0..1]	±		61
	<b>TaxIdentification</b> <TaxId>	[1..3]			61
	<b>Number</b> <Nb>	[1..1]	Text		62
	<b>Description</b> <Desc>	[0..1]	Text		62
	<b>Rate</b> <Rate>	[1..1]	Quantity		62
	<b>HostAmount</b> <HstAmt>	[1..1]	±		62
	<b>PricingAmount</b> <PricgAmt>	[0..1]	±		62
Or	<b>MethodB</b> <MtdB>	[1..1]			63
	<b>ServiceChargeHostAmount</b> <SvcChrgHstAmt>	[1..1]	±		63
	<b>ServiceTax</b> <SvcTax>	[1..1]			63
	<b>HostAmount</b> <HstAmt>	[1..1]	±		64
	<b>PricingAmount</b> <PricgAmt>	[0..1]	±		64
	<b>TaxIdentification</b> <TaxId>	[1..3]			64
	<b>Number</b> <Nb>	[1..1]	Text		65
	<b>Description</b> <Desc>	[0..1]	Text		65
	<b>Rate</b> <Rate>	[1..1]	Quantity		65
	<b>HostAmount</b> <HstAmt>	[1..1]	±		65
	<b>PricingAmount</b> <PricgAmt>	[0..1]	±		65
Or}	<b>MethodD</b> <MtdD>	[1..1]			66
	<b>ServiceTaxPriceAmount</b> <SvcTaxPricAmt>	[1..1]	±		66
	<b>TaxIdentification</b> <TaxId>	[1..3]			66
	<b>Number</b> <Nb>	[1..1]	Text		67
	<b>Description</b> <Desc>	[0..1]	Text		67
	<b>Rate</b> <Rate>	[1..1]	Quantity		67
	<b>PricingAmount</b> <PricgAmt>	[1..1]	±		67
	<b>TaxRegion</b> <TaxRgn>	[0..*]			67
	<b>RegionNumber</b> <RgnNb>	[1..1]	Text		69
	<b>RegionName</b> <RgnNm>	[1..1]	Text		69
	<b>CustomerTaxIdentification</b> <CstmrTaxId>	[1..1]	Text		69

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>PointDate</b> <PtDt>	[0..1]	Date		69
	<b>SendingFinancialInstitution</b> <SndgFI>	[0..1]			69
	<b>VATRegistrationNumber</b> <VATRegnNb>	[0..1]	Text		70
	<b>TaxRegistrationNumber</b> <TaxRegnNb>	[0..1]	Text		70
	<b>TaxContact</b> <TaxCtct>	[0..1]	±		70
	<b>InvoiceNumber</b> <InvNb>	[0..1]	Text		71
	<b>MethodC</b> <MtdC>	[0..1]			71
	<b>ServiceDetail</b> <SvcDtl>	[1..*]			72
	<b>BankService</b> <BkSvc>	[1..1]			73
	<b>Identification</b> <Id>	[1..1]	Text		73
	<b>SubService</b> <SubSvc>	[0..1]			74
	<b>Issuer</b> <Issr>	[1..1]			74
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		74
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		75
	<b>Identification</b> <Id>	[1..1]	Text		75
	<b>Description</b> <Desc>	[1..1]	Text		75
	<b>Volume</b> <Vol>	[0..1]	Quantity		75
	<b>UnitPrice</b> <UnitPric>	[0..1]	±		75
	<b>ServiceChargeAmount</b> <SvcChrgAmt>	[1..1]	±		75
	<b>TaxCalculation</b> <TaxClctn>	[1..1]			76
	<b>HostCurrency</b> <HstCcy>	[1..1]	CodeSet	C1	76
	<b>TaxableServiceChargeConversion</b> <TaxblSvcChrgConvs>	[1..*]			77
	<b>SourceAmount</b> <SrcAmt>	[1..1]	±		77
	<b>HostAmount</b> <HstAmt>	[1..1]	±		77
	<b>TotalTaxableServiceChargeHostAmount</b> <TtlTaxblSvcChrgHstAmt>	[1..1]	±		78
	<b>TaxIdentification</b> <TaxId>	[1..3]			78
	<b>Number</b> <Nb>	[1..1]	Text		78
	<b>Description</b> <Desc>	[0..1]	Text		78
	<b>Rate</b> <Rate>	[1..1]	Quantity		79
	<b>TotalTaxAmount</b> <TtlTaxAmt>	[1..1]	±		79
	<b>TotalTax</b> <TtlTax>	[1..1]	±		79

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>SettlementAmount</b> <SttlmAmt>	[1..1]	±		79
	<b>TaxDueToRegion</b> <TaxDueToRgn>	[1..1]	±		80
	<b>BalanceAdjustment</b> <BalAdjstmnt>	[0..*]			80
	<b>Type</b> <Tp>	[1..1]	CodeSet		80
	<b>Description</b> <Desc>	[1..1]	Text		81
	<b>BalanceAmount</b> <BalAmt>	[1..1]	±		81
	<b>AverageAmount</b> <AvrgAmt>	[0..1]	±		81
	<b>ErrorDate</b> <ErrDt>	[0..1]	Date		81
	<b>PostingDate</b> <PstngDt>	[1..1]	Date		81
	<b>Days</b> <Days>	[0..1]	Quantity		82
	<b>EarningsAdjustmentAmount</b> <EarngsAdjstmntAmt>	[0..1]	±		82
	<b>ServiceAdjustment</b> <SvcAdjstmnt>	[0..*]			82
	<b>Type</b> <Tp>	[1..1]	CodeSet		83
	<b>Description</b> <Desc>	[1..1]	Text		84
	<b>Amount</b> <Amt>	[1..1]	±		84
	<b>BalanceRequiredAmount</b> <BalReqrdAmt>	[0..1]	±		84
	<b>ErrorDate</b> <ErrDt>	[0..1]	Date		84
	<b>AdjustmentIdentification</b> <AdjstmntId>	[0..1]	Text		84
	<b>SubService</b> <SubSvc>	[0..1]			84
	<b>Issuer</b> <Issr>	[1..1]			85
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		85
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		85
	<b>Identification</b> <Id>	[1..1]	Text		86
	<b>PriceChange</b> <PricChng>	[0..1]	±		86
	<b>OriginalPrice</b> <OrgnlPric>	[0..1]	±		86
	<b>NewPrice</b> <NewPric>	[0..1]	±		86
	<b>VolumeChange</b> <VolChng>	[0..1]	Quantity		86
	<b>OriginalVolume</b> <OrgnlVol>	[0..1]	Quantity		87
	<b>NewVolume</b> <NewVol>	[0..1]	Quantity		87
	<b>OriginalChargeAmount</b> <OrgnlChrgAmt>	[0..1]	±		87
	<b>NewChargeAmount</b> <NewChrgAmt>	[0..1]	±		87

**2.4.2.6.1 StatementIdentification <Stmtd>***Presence:* [1..1]*Definition:* Identification of the customer billing statement.*Datatype:* "Max35Text" on page 135**2.4.2.6.2 FromToDate <FrToDt>***Presence:* [1..1]*Definition:* Date range between the start date and the end date for which the statement is issued.**FromToDate <FrToDt>** contains the following **DatePeriod1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>FromDate &lt;FrDt&gt;</b>	[0..1]	Date		30
	<b>ToDate &lt;ToDt&gt;</b>	[1..1]	Date		30

**2.4.2.6.2.1 FromDate <FrDt>***Presence:* [0..1]*Definition:* Start date of the range.*Datatype:* "ISODate" on page 129**2.4.2.6.2.2 ToDate <ToDt>***Presence:* [1..1]*Definition:* End date of the range.*Datatype:* "ISODate" on page 129**2.4.2.6.3 CreationDateTime <CreDtTm>***Presence:* [1..1]*Definition:* Date the statement message was created.*Datatype:* "ISODateTime" on page 129**2.4.2.6.4 Status <Sts>***Presence:* [1..1]*Definition:* Defines the status of the statement.*Datatype:* "BillingStatementStatus1Code" on page 122

CodeName	Name	Definition
ORGN	Original	Statement is the original statement.
RPLC	Replace	Statement replaces the original statement.
TEST	Test	Statement is a test statement.

**2.4.2.6.5 AccountCharacteristics <AcctChrtcs>***Presence:* [1..1]

*Definition:* Specifies the details of the account characteristics.

**AccountCharacteristics** <AcctChrtcs> contains the following **CashAccountCharacteristics5** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>AccountLevel</b> <AcctLvl>	[1..1]	CodeSet		31
	<b>CashAccount</b> <CshAcct>	[1..1]	±	C10, C9	32
	<b>AccountServicer</b> <AcctSvcr>	[0..1]	±		32
	<b>ParentAccount</b> <PrntAcct>	[0..1]			33
	<b>Level</b> <Lvl>	[0..1]	CodeSet		33
	<b>Identification</b> <Id>	[1..1]	±	C10, C9	34
	<b>Servicer</b> <Svcr>	[0..1]	±		34
	<b>CompensationMethod</b> <CompstnMtd>	[1..1]	CodeSet		35
	<b>DebitAccount</b> <DbtAcct>	[0..1]	±		35
	<b>DelayedDebitDate</b> <DelydDbtDt>	[0..1]	Date		36
	<b>SettlementAdvice</b> <SttlmAdv<	[0..1]	Text		36
	<b>AccountBalanceCurrencyCode</b> <AcctBalCcyCd>	[1..1]	CodeSet	C1	36
	<b>SettlementCurrencyCode</b> <SttlmCcyCd>	[0..1]	CodeSet	C1	36
	<b>HostCurrencyCode</b> <HstCcyCd>	[0..1]	CodeSet	C1	37
	<b>Tax</b> <Tax>	[0..1]			37
	<b>CalculationMethod</b> <ClctnMtd>	[1..1]	CodeSet		37
	<b>Region</b> <Rgn>	[0..1]	Text		38
	<b>NonResidenceCountry</b> <NonResCtry>	[0..1]			38
{Or	<b>Country</b> <Ctry>	[1..1]	CodeSet	C4	38
Or}	<b>Area</b> <Area>	[1..1]	Text		38
	<b>AccountServicerContact</b> <AcctSvcrCtct>	[1..1]	±		38

#### 2.4.2.6.5.1 AccountLevel <AcctLvl>

*Presence:* [1..1]

*Definition:* Defines the account level within an account hierarchy.

*Datatype:* "AccountLevel2Code" on page 119

CodeName	Name	Definition
INTM	Intermediate	Intermediate level within an account hierarchy.
SMRY	Summary	Highest level within an account hierarchy.

CodeName	Name	Definition
DETL	Detail	Account is a real deposit/current account.

#### 2.4.2.6.5.2 CashAccount <CshAcct>

*Presence:* [1..1]

*Definition:* Account to or from which a cash entry is made.

*Impacted by:* [C10 "IdentificationOrProxyPresenceRule"](#), [C9 "IdentificationAndProxyGuideline"](#)

**CashAccount <CshAcct>** contains the following elements (see ["CashAccount40"](#) on page 88 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Identification <Id>	[0..1]	±		89
	Type <Tp>	[0..1]	±		89
	Currency <Ccy>	[0..1]	CodeSet	C1	89
	Name <Nm>	[0..1]	Text		90
	Proxy <Prxy>	[0..1]	±		90

#### Constraints

- **IdentificationAndProxyGuideline**

If the account identification is not defined through a conventional identification such as an email address or a mobile number, then the proxy element should be used for the identification of the account.

- **IdentificationOrProxyPresenceRule**

Identification must be present or Proxy must be present. Both may be present.

Following Must be True

/Identification Must be present

Or /Proxy Must be present

#### 2.4.2.6.5.3 AccountServicer <AcctSvcr>

*Presence:* [0..1]

*Definition:* Usage: the account servicer is the domicile agent servicing the local account.

**AccountServicer <AcctSvcr>** contains the following elements (see "BranchAndFinancialInstitutionIdentification8" on page 97 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	FinancialInstitutionIdentification <FinInstnId>	[1..1]			97
	BICFI <BICFI>	[0..1]	IdentifierSet	C3	98
	ClearingSystemMemberIdentification <ClrSysMmbld>	[0..1]	±		98
	LEI <LEI>	[0..1]	IdentifierSet		98
	Name <Nm>	[0..1]	Text		98
	PostalAddress <PstlAdr>	[0..1]	±		99
	Other <Othr>	[0..1]	±		99
	BranchIdentification <BrnchId>	[0..1]			100
	Identification <Id>	[0..1]	Text		100
	LEI <LEI>	[0..1]	IdentifierSet		100
	Name <Nm>	[0..1]	Text		100
	PostalAddress <PstlAdr>	[0..1]	±		100

#### 2.4.2.6.5.4 ParentAccount <PrntAcct>

*Presence:* [0..1]

*Definition:* Defines a parent account to which the cash account is related to.

**ParentAccount <PrntAcct>** contains the following **ParentCashAccount5** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Level</b> <Lvl>	[0..1]	CodeSet		33
	<b>Identification</b> <Id>	[1..1]	±	C10, C9	34
	<b>Servicer</b> <Svcr>	[0..1]	±		34

##### 2.4.2.6.5.4.1 Level <Lvl>

*Presence:* [0..1]

*Definition:* Defines the parent account level within a hierarchy.

*Datatype:* "AccountLevel1Code" on page 119

CodeName	Name	Definition
INTM	Intermediate	Intermediate level within an account hierarchy.
SMRY	Summary	Highest level within an account hierarchy.

**2.4.2.6.5.4.2 Identification <Id>***Presence:* [1..1]*Definition:* Unique and unambiguous identification for the parent account between the parent account owner and the parent account servicer.*Impacted by:* C10 "IdentificationOrProxyPresenceRule", C9 "IdentificationAndProxyGuideline"**Identification <Id>** contains the following elements (see "CashAccount40" on page 88 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Identification <Id>	[0..1]	±		89
	Type <Tp>	[0..1]	±		89
	Currency <Ccy>	[0..1]	CodeSet	C1	89
	Name <Nm>	[0..1]	Text		90
	Proxy <Prxy>	[0..1]	±		90

**Constraints**

- IdentificationAndProxyGuideline**

If the account identification is not defined through a conventional identification such as an email address or a mobile number, then the proxy element should be used for the identification of the account.

- IdentificationOrProxyPresenceRule**

Identification must be present or Proxy must be present. Both may be present.

```
Following Must be True
  /Identification Must be present
Or    /Proxy Must be present
```

**2.4.2.6.5.4.3 Servicer <Svcr>***Presence:* [0..1]*Definition:* Financial institution in which the parent account resides.

**Servicer <Svcr>** contains the following elements (see "BranchAndFinancialInstitutionIdentification8" on page 97 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	FinancialInstitutionIdentification <FinInstnId>	[1..1]			97
	BICFI <BICFI>	[0..1]	IdentifierSet	C3	98
	ClearingSystemMemberIdentification <ClrSysMmbld>	[0..1]	±		98
	LEI <LEI>	[0..1]	IdentifierSet		98
	Name <Nm>	[0..1]	Text		98
	PostalAddress <PstlAdr>	[0..1]	±		99
	Other <Othr>	[0..1]	±		99
	BranchIdentification <BrnchId>	[0..1]			100
	Identification <Id>	[0..1]	Text		100
	LEI <LEI>	[0..1]	IdentifierSet		100
	Name <Nm>	[0..1]	Text		100
	PostalAddress <PstlAdr>	[0..1]	±		100

#### 2.4.2.6.5.5 CompensationMethod <CompstnMtd>

*Presence:* [1..1]

*Definition:* Defines if and how charges and taxes due are paid to the financial institution.

*Datatype:* "CompensationMethod1Code" on page 124

CodeName	Name	Definition
NOCP	No	Account does not pay and charges or taxes due.
DBTD	Debited	Account is debited for any charges or taxes due.
INVD	Invoiced	Account or summary account is invoiced for any charges or taxes due.
DDBT	DelayedDebit	Account is automatically debited on a future date.

#### 2.4.2.6.5.6 DebitAccount <DbtAcct>

*Presence:* [0..1]

*Definition:* Defines the account debited for charges and taxes due on the cash account, if different from the cash account.

**DebitAccount <DbtAcct>** contains one of the following elements (see "[AccountIdentification4Choice](#)" on page 92 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	IBAN <IBAN>	[1..1]	IdentifierSet	C8	92
Or}	Other <Othr>	[1..1]	±		93

#### 2.4.2.6.5.7 DelayedDebitDate <DelydDbtDt>

*Presence:* [0..1]

*Definition:* Future date on which the account will be automatically debited for charges and taxes due.

*Datatype:* "[ISODate](#)" on page 129

#### 2.4.2.6.5.8 SettlementAdvice <SttlmAdv>

*Presence:* [0..1]

*Definition:* Free form message advising the customer about the settlement of charges and taxes due.

*Datatype:* "[Max105Text](#)" on page 133

#### 2.4.2.6.5.9 AccountBalanceCurrencyCode <AcctBalCcyCd>

*Presence:* [1..1]

*Definition:* Currency used to specify the account's balance currency.

*Impacted by:* [C1 "ActiveOrHistoricCurrency"](#)

*Datatype:* "[ActiveOrHistoricCurrencyCode](#)" on page 119

##### Constraints

- **ActiveOrHistoricCurrency**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

#### 2.4.2.6.5.10 SettlementCurrencyCode <SttlmCcyCd>

*Presence:* [0..1]

*Definition:* Currency used to specify the account's settlement currency.

*Impacted by:* [C1 "ActiveOrHistoricCurrency"](#)

*Datatype:* "[ActiveOrHistoricCurrencyCode](#)" on page 119

##### Constraints

- **ActiveOrHistoricCurrency**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3)

contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

#### 2.4.2.6.5.11 HostCurrencyCode <HstCcyCd>

*Presence:* [0..1]

*Definition:* Currency used to specify the account's taxing host currency.

*Impacted by:* C1 "ActiveOrHistoricCurrency"

*Datatype:* "ActiveOrHistoricCurrencyCode" on page 119

##### Constraints

- **ActiveOrHistoricCurrency**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

#### 2.4.2.6.5.12 Tax <Tax>

*Presence:* [0..1]

*Definition:* Describes account taxing parameters.

**Tax <Tax>** contains the following **AccountTax1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>CalculationMethod</b> <ClctnMtd>	[1..1]	CodeSet		37
	<b>Region</b> <Rgn>	[0..1]	Text		38
	<b>NonResidenceCountry</b> <NonResCtry>	[0..1]			38
{Or	<b>Country</b> <Ctry>	[1..1]	CodeSet	C4	38
Or}	<b>Area</b> <Area>	[1..1]	Text		38

#### 2.4.2.6.5.12.1 CalculationMethod <ClctnMtd>

*Presence:* [1..1]

*Definition:* Defines the calculation method on how the taxes are applied on the account.

*Datatype:* "BillingTaxCalculationMethod1Code" on page 123

CodeName	Name	Definition
NTAX	NoTaxes	No taxes are calculated or due on this account.
MTDA	MethodA	Line-by-line per service calculation and settlement currency translation.
MTDB	MethodB	Line-by-line per service calculation with settlement currency translation performed on the statement tax total.
MTDC	MethodC	Group tax calculation with group settlement currency translation.

CodeName	Name	Definition
MTDD	MethodD	Line-by-line per service calculation with all charges and taxes due in the pricing currency.
UDFD	Undefined	Tax calculation method is not defined or unknown.

#### 2.4.2.6.5.12.2 Region <Rgn>

*Presence:* [0..1]

*Definition:* Identifies the tax region in which the account resides.

*Datatype:* "Max40Text" on page 135

#### 2.4.2.6.5.12.3 NonResidenceCountry <NonResCtry>

*Presence:* [0..1]

*Definition:* Specifies the country of residence, when the account owner does not reside in the account's tax region.

*Usage:* If present, the account owner does not reside in the account's tax region.

**NonResidenceCountry <NonResCtry>** contains one of the following **ResidenceLocation1Choice** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	<b>Country &lt;Ctry&gt;</b>	[1..1]	CodeSet	C4	38
Or}	<b>Area &lt;Area&gt;</b>	[1..1]	Text		38

#### 2.4.2.6.5.12.3.1 Country <Ctry>

*Presence:* [1..1]

*Definition:* Specifies the account owner's resident country.

*Impacted by:* C4 "Country"

*Datatype:* "CountryCode" on page 124

##### Constraints

- **Country**

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

#### 2.4.2.6.5.12.3.2 Area <Area>

*Presence:* [1..1]

*Definition:* Specifies the account owner's resident geographical region or area.

*Datatype:* "Max35Text" on page 135

#### 2.4.2.6.5.13 AccountServicerContact <AcctSvcrCtct>

*Presence:* [1..1]

*Definition:* Individual to contact at the financial institution's location regarding problems of a business nature.

**AccountServicerContact** <AcctSvcrCtct> contains the following elements (see "Contact13" on page 110 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	NamePrefix <NmPrfx>	[0..1]	CodeSet		111
	Name <Nm>	[0..1]	Text		111
	PhoneNumber <PhneNb>	[0..1]	Text		111
	MobileNumber <MobNb>	[0..1]	Text		112
	FaxNumber <FaxNb>	[0..1]	Text		112
	URLAddress <URLAdr>	[0..1]	Text		112
	EmailAddress <EmailAdr>	[0..1]	Text		112
	EmailPurpose <EmailPurp>	[0..1]	Text		112
	JobTitle <JobTitl>	[0..1]	Text		112
	Responsibility <Rspnsblty>	[0..1]	Text		112
	Department <Dept>	[0..1]	Text		112
	Other <Othr>	[0..*]			113
	ChannelType <ChanlTp>	[1..1]	Text		113
	Identification <Id>	[0..1]	Text		113
	PreferredMethod <PrefrdMtd>	[0..1]	CodeSet		113

#### 2.4.2.6.6 RateData <RateData>

*Presence:* [0..\*]

*Definition:* Identifies the non tax per annum rate and factor values used within the statement along with any time dependent charge basis.

**RateData** <RateData> contains the following **BillingRate1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Identification</b> <Id>	[1..1]			40
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		40
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		40
	<b>Value</b> <Val>	[1..1]	Rate		40
	<b>DaysInPeriod</b> <DaysInPrd>	[0..1]	Quantity		40
	<b>DaysInYear</b> <DaysInYr>	[0..1]	Quantity		40

**2.4.2.6.6.1 Identification <Id>***Presence:* [1..1]*Definition:* Defines the type of rate or factor.**Identification <Id>** contains one of the following **BillingRateIdentification1Choice** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	<b>Code &lt;Cd&gt;</b>	[1..1]	CodeSet		40
Or}	<b>Proprietary &lt;Prtry&gt;</b>	[1..1]	Text		40

**2.4.2.6.6.1.1 Code <Cd>***Presence:* [1..1]*Definition:* Specifies the billing rate identification code, as defined in an external code list.*Datatype:* "ExternalBillingRateIdentification1Code" on page 126**2.4.2.6.6.1.2 Proprietary <Prtry>***Presence:* [1..1]*Definition:* Specifies the billing rate identification code, as defined in a proprietary format.*Datatype:* "Max35Text" on page 135**2.4.2.6.6.2 Value <Val>***Presence:* [1..1]*Definition:* Value of the rate or factor identified in the rate identification.*Datatype:* "PercentageRate" on page 132**2.4.2.6.6.3 DaysInPeriod <DaysInPrd>***Presence:* [0..1]*Definition:* Number of days in the statement period.*Usage:* Used along with DaysInYear for time dependent per annum rate value.*Datatype:* "Number" on page 132**2.4.2.6.6.4 DaysInYear <DaysInYr>***Presence:* [0..1]*Definition:* Number of days in the year.*Usage:* Used along with DaysInPeriod for time dependent per annum rate value.*Datatype:* "Number" on page 132**2.4.2.6.7 CurrencyExchange <CcyXchg>***Presence:* [0..\*]*Definition:* Specifies details related to currency exchange data.

**CurrencyExchange <CcyXchg>** contains the following **CurrencyExchange6** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>SourceCurrency</b> <SrcCcy>	[1..1]	CodeSet	C1	41
	<b>TargetCurrency</b> <TrgtCcy>	[1..1]	CodeSet	C1	41
	<b>ExchangeRate</b> <XchgRate>	[1..1]	Rate		41
	<b>Description</b> <Desc>	[0..1]	Text		42
	<b>UnitCurrency</b> <UnitCcy>	[0..1]	CodeSet	C1	42
	<b>Comments</b> <Cmnts>	[0..1]	Text		42
	<b>QuotationDate</b> <QtnDt>	[0..1]	DateTime		42

#### 2.4.2.6.7.1 SourceCurrency <SrcCcy>

*Presence:* [1..1]

*Definition:* Currency from which an amount is to be converted in a currency conversion.

*Impacted by:* C1 "ActiveOrHistoricCurrency"

*Datatype:* "ActiveOrHistoricCurrencyCode" on page 119

##### Constraints

- **ActiveOrHistoricCurrency**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

#### 2.4.2.6.7.2 TargetCurrency <TrgtCcy>

*Presence:* [1..1]

*Definition:* Currency into which an amount is to be converted in a currency conversion.

*Impacted by:* C1 "ActiveOrHistoricCurrency"

*Datatype:* "ActiveOrHistoricCurrencyCode" on page 119

##### Constraints

- **ActiveOrHistoricCurrency**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

#### 2.4.2.6.7.3 ExchangeRate <XchgRate>

*Presence:* [1..1]

*Definition:* Factor used to convert an amount from one currency into another. This reflects the price at which one currency was bought with another currency.

*Datatype:* "BaseOneRate" on page 132

**2.4.2.6.7.4 Description <Desc>***Presence:* [0..1]*Definition:* Unique identification to unambiguously identify the foreign exchange contract.*Datatype:* "Max40Text" on page 135**2.4.2.6.7.5 UnitCurrency <UnitCcy>***Presence:* [0..1]*Definition:* Currency in which the rate of exchange is expressed in a currency exchange. In the example 1GBP = xxxCUR, the unit currency is GBP.*Impacted by:* C1 "ActiveOrHistoricCurrency"*Datatype:* "ActiveOrHistoricCurrencyCode" on page 119**Constraints**

- **ActiveOrHistoricCurrency**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

**2.4.2.6.7.6 Comments <Cmnts>***Presence:* [0..1]*Definition:* Further information on the exchange rate.*Datatype:* "Max70Text" on page 136**2.4.2.6.7.7 QuotationDate <QtnDt>***Presence:* [0..1]*Definition:* Date and time at which an exchange rate is quoted.*Datatype:* "ISODateTime" on page 129**2.4.2.6.8 Balance <Bal>***Presence:* [0..\*]*Definition:* Identifies the average value of balances held within the statement period.**Balance <Bal>** contains the following **BillingBalance1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Type &lt;Tp&gt;</b>	[1..1]			43
{Or	<b>Code &lt;Cd&gt;</b>	[1..1]	CodeSet		43
Or}	<b>Proprietary &lt;Prtry&gt;</b>	[1..1]	Text		43
	<b>Value &lt;Val&gt;</b>	[1..1]	±		43
	<b>CurrencyType &lt;CcyTp&gt;</b>	[0..1]	CodeSet		43

**2.4.2.6.8.1 Type <Tp>***Presence:* [1..1]*Definition:* Defines the type of balance.**Type <Tp>** contains one of the following **BillingBalanceType1Choice** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		43
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		43

**2.4.2.6.8.1.1 Code <Cd>***Presence:* [1..1]*Definition:* Defines the type of billing balance, as published in an external billing balance type code list.*Datatype:* "ExternalBillingBalanceType1Code" on page 125**2.4.2.6.8.1.2 Proprietary <Prtry>***Presence:* [1..1]*Definition:* Defines the type of billing balance, in a proprietary format.*Datatype:* "Max35Text" on page 135**2.4.2.6.8.2 Value <Val>***Presence:* [1..1]*Definition:* Balance value.**Value <Val>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**2.4.2.6.8.3 CurrencyType <CcyTp>***Presence:* [0..1]*Definition:* Identifies the currency type used to report the balance. This is not the ISO code.*Datatype:* "BillingCurrencyType1Code" on page 122

CodeName	Name	Definition
ACCT	Account	Currency type used for the billing is the account currency.
STLM	Settlement	Currency type used for the billing is the settlement currency.
PRCG	Pricing	Currency type used for the billing is the pricing currency.

#### 2.4.2.6.9 Compensation <Compstn>

*Presence:* [0..\*]

*Definition:* Identifies the set of values and totals that are used to provide compensation information, service and tax totals.

**Compensation <Compstn>** contains the following **BillingCompensation1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Type</b> <Tp>	[1..1]			44
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		44
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		44
	<b>Value</b> <Val>	[1..1]	±		44
	<b>CurrencyType</b> <CcyTp>	[0..1]	CodeSet		45

##### 2.4.2.6.9.1 Type <Tp>

*Presence:* [1..1]

*Definition:* Defines the type of billing compensation.

**Type <Tp>** contains one of the following **BillingCompensationType1Choice** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		44
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		44

##### 2.4.2.6.9.1.1 Code <Cd>

*Presence:* [1..1]

*Definition:* Defines the type of billing compensation, as published in an external billing compensation type code list.

*Datatype:* "ExternalBillingCompensationType1Code" on page 125

##### 2.4.2.6.9.1.2 Proprietary <Prtry>

*Presence:* [1..1]

*Definition:* Defines the type of billing compensation, as defined in a proprietary format.

*Datatype:* "Max35Text" on page 135

##### 2.4.2.6.9.2 Value <Val>

*Presence:* [1..1]

*Definition:* Defines the value of compensation.

**Value <Val>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.9.3 CurrencyType <CcyTp>

*Presence:* [0..1]

*Definition:* Identifies the currency type used to report the value or total, in a coded form, such as Settlement (STLM).

*Datatype:* "BillingCurrencyType2Code" on page 122

CodeName	Name	Definition
ACCT	Account	Currency type used for the billing is the account currency.
STLM	Settlement	Currency type used for the billing is the settlement currency.
PRCG	Pricing	Currency type used for the billing is the pricing currency.
HOST	Host	Currency type used for the billing is the host currency.

#### 2.4.2.6.10 Service <Svc>

*Presence:* [0..\*]

*Definition:* Specifies the values used for every line item service in the statement.

**Service <Svc>** contains the following **BillingService2** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>ServiceDetail</b> <SvcDtl>	[1..1]			48
	<b>BankService</b> <BkSvc>	[1..1]			48
	<b>Identification</b> <Id>	[1..1]	Text		49
	<b>SubService</b> <SubSvc>	[0..1]			49
	<b>Issuer</b> <Issr>	[1..1]			49
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		50
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		50
	<b>Identification</b> <Id>	[1..1]	Text		50
	<b>Description</b> <Desc>	[1..1]	Text		50
	<b>CommonCode</b> <CmonCd>	[0..1]			51
	<b>Issuer</b> <Issr>	[1..1]	Text		51
	<b>Identification</b> <Id>	[1..1]	Text		51
	<b>BankTransactionCode</b> <BkTxCd>	[0..1]	±	C6, C7	51
	<b>ServiceType</b> <SvcTp>	[0..1]	Text		52
	<b>Volume</b> <Vol>	[0..1]	Quantity		52
	<b>Price</b> <Pric>	[0..1]			52
	<b>Currency</b> <Ccy>	[0..1]	CodeSet	C1	52
	<b>UnitPrice</b> <UnitPric>	[0..1]	±		52
	<b>Method</b> <Mtd>	[0..1]	CodeSet		53
	<b>Rule</b> <Rule>	[0..1]	Text		54
	<b>PaymentMethod</b> <PmtMtd>	[1..1]	CodeSet		55
	<b>OriginalChargePrice</b> <OrgnlChrgPric>	[1..1]	±		55
	<b>OriginalChargeSettlementAmount</b> <OrgnlChrgSttlmAmt>	[0..1]	±		55
	<b>BalanceRequiredAccountAmount</b> <BalReqrdAcctAmt>	[0..1]	±		56
	<b>TaxDesignation</b> <TaxDsgnt>	[1..1]		C12	56
	<b>Code</b> <Cd>	[1..1]	CodeSet		56
	<b>Region</b> <Rgn>	[0..1]	Text		57
	<b>TaxReason</b> <TaxRsn>	[0..*]			57
	<b>Code</b> <Cd>	[1..1]	Text		57
	<b>Explanation</b> <Expltn>	[1..1]	Text		57

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>TaxCalculation</b> <TaxClctn>	[0..1]			57
{Or	<b>MethodA</b> <MtdA>	[1..1]			59
	<b>ServiceChargeHostAmount</b> <SvcChrgHstAmt>	[1..1]	±		59
	<b>ServiceTax</b> <SvcTax>	[1..1]			59
	<b>HostAmount</b> <HstAmt>	[1..1]	±		60
	<b>PricingAmount</b> <PrigcAmt>	[0..1]	±		60
	<b>TotalCharge</b> <TtlChrg>	[1..1]			60
	<b>HostAmount</b> <HstAmt>	[1..1]	±		61
	<b>SettlementAmount</b> <SttlmAmt>	[0..1]	±		61
	<b>PricingAmount</b> <PrigcAmt>	[0..1]	±		61
	<b>TaxIdentification</b> <TaxId>	[1..3]			61
	<b>Number</b> <Nb>	[1..1]	Text		62
	<b>Description</b> <Desc>	[0..1]	Text		62
	<b>Rate</b> <Rate>	[1..1]	Quantity		62
	<b>HostAmount</b> <HstAmt>	[1..1]	±		62
	<b>PricingAmount</b> <PrigcAmt>	[0..1]	±		62
Or	<b>MethodB</b> <MtdB>	[1..1]			63
	<b>ServiceChargeHostAmount</b> <SvcChrgHstAmt>	[1..1]	±		63
	<b>ServiceTax</b> <SvcTax>	[1..1]			63
	<b>HostAmount</b> <HstAmt>	[1..1]	±		64
	<b>PricingAmount</b> <PrigcAmt>	[0..1]	±		64
	<b>TaxIdentification</b> <TaxId>	[1..3]			64
	<b>Number</b> <Nb>	[1..1]	Text		65
	<b>Description</b> <Desc>	[0..1]	Text		65
	<b>Rate</b> <Rate>	[1..1]	Quantity		65
	<b>HostAmount</b> <HstAmt>	[1..1]	±		65
	<b>PricingAmount</b> <PrigcAmt>	[0..1]	±		65
Or}	<b>MethodD</b> <MtdD>	[1..1]			66
	<b>ServiceTaxPriceAmount</b> <SvcTaxPricAmt>	[1..1]	±		66
	<b>TaxIdentification</b> <TaxId>	[1..3]			66
	<b>Number</b> <Nb>	[1..1]	Text		67

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Description</b> <Desc>	[0..1]	Text		67
	<b>Rate</b> <Rate>	[1..1]	Quantity		67
	<b>PricingAmount</b> <PricgAmt>	[1..1]	±		67

#### 2.4.2.6.10.1 ServiceDetail <SvcDtl>

*Presence:* [1..1]

*Definition:* Specifies further detailed values for this service.

**ServiceDetail <SvcDtl>** contains the following **BillingServiceParameters3** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>BankService</b> <BkSvc>	[1..1]			48
	<b>Identification</b> <Id>	[1..1]	Text		49
	<b>SubService</b> <SubSvc>	[0..1]			49
	<b>Issuer</b> <Issr>	[1..1]			49
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		50
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		50
	<b>Identification</b> <Id>	[1..1]	Text		50
	<b>Description</b> <Desc>	[1..1]	Text		50
	<b>CommonCode</b> <CmonCd>	[0..1]			51
	<b>Issuer</b> <Issr>	[1..1]	Text		51
	<b>Identification</b> <Id>	[1..1]	Text		51
	<b>BankTransactionCode</b> <BkTxCd>	[0..1]	±	C6, C7	51
	<b>ServiceType</b> <SvcTp>	[0..1]	Text		52
	<b>Volume</b> <Vol>	[0..1]	Quantity		52

##### 2.4.2.6.10.1.1 BankService <BkSvc>

*Presence:* [1..1]

*Definition:* Specifies the details to fully identify the bank service.

**BankService <BkSvc>** contains the following **BillingServiceIdentification3** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Identification</b> <Id>	[1..1]	Text		49
	<b>SubService</b> <SubSvc>	[0..1]			49
	<b>Issuer</b> <Issr>	[1..1]			49
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		50
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		50
	<b>Identification</b> <Id>	[1..1]	Text		50
	<b>Description</b> <Desc>	[1..1]	Text		50
	<b>CommonCode</b> <CmonCd>	[0..1]			51
	<b>Issuer</b> <Issr>	[1..1]	Text		51
	<b>Identification</b> <Id>	[1..1]	Text		51
	<b>BankTransactionCode</b> <BkTxCd>	[0..1]	±	C6, C7	51
	<b>ServiceType</b> <SvcTp>	[0..1]	Text		52

#### 2.4.2.6.10.1.1.1 Identification <Id>

*Presence:* [1..1]

*Definition:* Financial institution's own, internal service identification code, different from the common code.

*Usage:* The financial institution own code is used to uniquely identify the service within the financial institution.

*Datatype:* "Max35Text" on page 135

#### 2.4.2.6.10.1.1.2 SubService <SubSvc>

*Presence:* [0..1]

*Definition:* Defines the financial institution sub-service identification if the financial institution service identification code is used for more than one service.

**SubService <SubSvc>** contains the following **BillingSubServiceIdentification1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Issuer</b> <Issr>	[1..1]			49
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		50
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		50
	<b>Identification</b> <Id>	[1..1]	Text		50

#### 2.4.2.6.10.1.1.2.1 Issuer <Issr>

*Presence:* [1..1]

*Definition:* Specifies the qualifier of the sub service.

**Issuer <Issr>** contains one of the following **BillingSubServiceQualifier1Choice** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		50
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		50

#### 2.4.2.6.10.1.1.2.1.1 Code <Cd>

*Presence:* [1..1]

*Definition:* Specifies the contents of the sub service qualifier, in a coded form.

*Datatype:* "BillingSubServiceQualifier1Code" on page 123

CodeName	Name	Definition
LBOX	Lockbox	Subservice code contains a lockbox number which identifies the lockbox using the service.
STOR	Store	Subservice code contains a store number which identifies the store using the service.
BILA	BilaterallyAgreed	Meaning of the subservice code is established by the trading partners.
SEQN	SequenceNumber	Subservice code is an arbitrary sequence number used to uniquely identify this Service and prevent duplicate services within this statement.
MACT	MemberAccount	Subservice code is the account number of a member of a relationship structure. This allows a parent statement to include the same service as rolled up from its member accounts and still avoid duplicate service identification within the statement.

#### 2.4.2.6.10.1.1.2.1.2 Proprietary <Prtry>

*Presence:* [1..1]

*Definition:* Specifies the contents of the sub service qualifier, in a free-text form.

*Datatype:* "Max35Text" on page 135

#### 2.4.2.6.10.1.1.2.2 Identification <Id>

*Presence:* [1..1]

*Definition:* Further defines a financial institution service, through the provision of the value required by the sub service qualifier, such as the actual lockbox number or store number.

*Datatype:* "Max35Text" on page 135

#### 2.4.2.6.10.1.1.3 Description <Desc>

*Presence:* [1..1]

*Definition:* Specifies further details to describe the financial institution service description, which is not the standard description related to the common code.

*Datatype:* "Max70Text" on page 136

#### 2.4.2.6.10.1.1.4 CommonCode <CmonCd>

*Presence:* [0..1]

*Definition:* Standard reference code used to uniquely identify this service across financial institutions. This is not the financial institution's internal bank service identification.

**CommonCode <CmonCd>** contains the following **BillingServiceCommonIdentification1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Issuer</b> <Issr>	[1..1]	Text		51
	<b>Identification</b> <Id>	[1..1]	Text		51

##### 2.4.2.6.10.1.1.4.1 Issuer <Issr>

*Presence:* [1..1]

*Definition:* Defines the issuer of the common code, such as "AFP".

*Datatype:* "Max6Text" on page 136

##### 2.4.2.6.10.1.1.4.2 Identification <Id>

*Presence:* [1..1]

*Definition:* Standard reference code used to uniquely identify this service across financial institutions. This is not the financial institution's internal bank service identification.

*Datatype:* "Max8Text" on page 136

#### 2.4.2.6.10.1.1.5 BankTransactionCode <BkTxCd>

*Presence:* [0..1]

*Definition:* Full identification of the type of underlying transaction resulting in an service billing.

*Impacted by:* C6 "DomainOrProprietaryRule", C7 "FamilyAndSubFamilyRule"

**BankTransactionCode <BkTxCd>** contains the following elements (see "BankTransactionCodeStructure4" on page 94 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Domain <Domn>	[0..1]	±		94
	Proprietary <Prtry>	[0..1]			95
	Code <Cd>	[1..1]	Text		95
	Issuer <Issr>	[0..1]	Text		95

#### Constraints

- **DomainOrProprietaryRule**

Either Proprietary or Domain or both must be present.

Following Must be True  
 /Domain Must be present  
 Or /Proprietary Must be present

- **FamilyAndSubFamilyRule**

If a specific (non-generic) Family code is not present, then a specific (non-generic) SubFamily code is not allowed.

#### 2.4.2.6.10.1.1.6 ServiceType <SvcTp>

*Presence:* [0..1]

*Definition:* Type used to classify or organise different services by common characteristics.

*Datatype:* "Max12Text" on page 133

#### 2.4.2.6.10.1.2 Volume <Vol>

*Presence:* [0..1]

*Definition:* Count or number of items (volume) involved in the charge.

*Datatype:* "DecimalNumber" on page 132

#### 2.4.2.6.10.2 Price <Pric>

*Presence:* [0..1]

*Definition:* Price applied to the service, expressed in the pricing currency.

**Price <Pric>** contains the following **BillingPrice1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Currency</b> <Ccy>	[0..1]	CodeSet	C1	52
	<b>UnitPrice</b> <UnitPric>	[0..1]	±		52
	<b>Method</b> <Mtd>	[0..1]	CodeSet		53
	<b>Rule</b> <Rule>	[0..1]	Text		54

#### 2.4.2.6.10.2.1 Currency <Ccy>

*Presence:* [0..1]

*Definition:* Currency code in which the unit price and original charge price are expressed.

*Impacted by:* C1 "ActiveOrHistoricCurrency"

*Datatype:* "ActiveOrHistoricCurrencyCode" on page 119

##### Constraints

- **ActiveOrHistoricCurrency**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

#### 2.4.2.6.10.2.2 UnitPrice <UnitPric>

*Presence:* [0..1]

*Definition:* Price per item or unit used to calculate the charge expressed in the pricing currency.

**UnitPrice** <UnitPric> contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.10.2.3 Method <Mtd>

*Presence:* [0..1]

*Definition:* Identifies how the charge was calculated.

*Usage:* The absence of this code assumes that the charge is calculated as the product of (volume x unit price).

*Datatype:* "BillingChargeMethod1Code" on page 120

CodeName	Name	Definition
UPRC	UnitPriced	Charge is calculated as the product of volume times unit price. This is the default value.
STAM	StampDuty	Service is specifically identified as a stamp duty for accounting purposes. The charge is calculated as the product of volume times unit price.
BCHG	BaseCharge	Fee charged in addition to the volume times unit price when one or more units of the service are provided.
DPRC	DiscountPrice	Charge is calculated using a price which is lower than the quoted bank price.
FCHG	FlatCharge	Fixed charge not tied to volume or unit price. Flat Charge fees do not require a volume or Unit Price.
LPRC	ListPrice	A single service where the volume, original charge and balance required are the totals of two or more pricing tiers.
MCHG	MinimumCharge	Lowest charge possible for the service.
MXRD	MaximumReduction	Maximum charge possible for the service even though volume times unit price exceeds the maximum reduction value.
TIR1	Tier1	Line item represents a charge for tier 1 in a multi tier, volume discount charging structure. Designates the tier 1 used to charge out the volume that falls in that tier.
TIR2	Tier2	Line item represents a charge for tier 2 in a multi tier, volume discount charging structure. Designates the tier 2 used to charge out the volume that falls in that tier.

CodeName	Name	Definition
TIR3	Tier3	Line item represents a charge for tier 3 in a multi tier, volume discount charging structure. Designates the tier 3 used to charge out the volume that falls in that tier.
TIR4	Tier4	Line item represents a charge for tier 4 in a multi tier, volume discount charging structure. Designates the tier 4 used to charge out the volume that falls in that tier.
TIR5	Tier5	Line item represents a charge for tier 5 in a multi tier, volume discount charging structure. Designates the tier 5 used to charge out the volume that falls in that tier.
TIR6	Tier6	Line item represents a charge for tier 6 in a multi tier, volume discount charging structure. Designates the tier 6 used to charge out the volume that falls in that tier.
TIR7	Tier7	Line item represents a charge for tier 7 in a multi tier, volume discount charging structure. Designates the tier 7 used to charge out the volume that falls in that tier.
TIR8	Tier8	Line item represents a charge for tier 8 in a multi tier, volume discount charging structure. Designates the tier 8 used to charge out the volume that falls in that tier.
TIR9	Tier9	Line item represents a charge for tier 9 in a multi tier, volume discount charging structure. Designates the tier 9 used to charge out the volume that falls in that tier.
TPRC	ThresholdPrice	Unit price is determined by the total volume.
ZPRC	ZonePrice	Indicates different prices for the same service. Typically used in a relationship summary statement where the same service has a different price for different accounts in the relationship.
BBSE	BalanceBased	Charge is calculated as a balance times a per-annum rate multiplied by a time factor.

#### 2.4.2.6.10.2.4 Rule <Rule>

*Presence:* [0..1]

*Definition:* Indicates that the charge calculation is based on a particular rule. The rule name is carried here and is defined by the trading partners.

*Datatype:* "Max20Text" on page 134

**2.4.2.6.10.3 PaymentMethod <PmtMtd>***Presence:* [1..1]*Definition:* Code identifying the disposition of the calculated charge.*Datatype:* "ServicePaymentMethod1Code" on page 128

CodeName	Name	Definition
BCMP	BalanceCompensable	Allows the bank to offset a service charge with interest earned on the deposit account balance. The actual charges arising from balance compensable services are always calculated and charged at month end. Used in the USA.
FLAT	HardCharge	Charge is not balance compensable and is due. In the absence of balance compensable charges in Europe, this would be the most commonly used code for services that are billed at month end.
PVCH	PreviouslyCharged	Charge was previously assessed and is not part of the amount due as of this statement. This code is used for charges that were debited as the chargeable event took place.
INVS	InvoicedSeparately	Charge was previously invoiced and is not part of the amount due as of this statement. This code is used for charges that were invoiced as the chargeable event took place.
WVED	Waived	Charge is waived and not due. The waived amount must be placed in original charge amount.
FREE	Free	Service is free, no charge, to the customer.

**2.4.2.6.10.4 OriginalChargePrice <OrgnlChrgPric>***Presence:* [1..1]*Definition:* Amount of the calculated charge, expressed in the pricing currency. This value does not include any tax on the service.**OriginalChargePrice <OrgnlChrgPric>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**2.4.2.6.10.5 OriginalChargeSettlementAmount <OrgnlChrgSttlmAmt>***Presence:* [0..1]*Definition:* Amount of the calculated charge, expressed in the settlement currency.

**OriginalChargeSettlementAmount <OrgnlChrgSttlmAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.10.6 BalanceRequiredAccountAmount <BalReqrdAcctAmt>

*Presence:* [0..1]

*Definition:* Average daily collected balance required to offset a balance compensable service charge, exclusive of taxes, expressed in the account currency.

**BalanceRequiredAccountAmount <BalReqrdAcctAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.10.7 TaxDesignation <TaxDsgnt>

*Presence:* [1..1]

*Definition:* Provides the details of the taxable status of a service.

*Impacted by:* C12 "RegionPresenceRule"

**TaxDesignation <TaxDsgnt>** contains the following **ServiceTaxDesignation1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Code</b> <Cd>	[1..1]	CodeSet		56
	<b>Region</b> <Rgn>	[0..1]	Text		57
	<b>TaxReason</b> <TaxRsn>	[0..*]			57
	<b>Code</b> <Cd>	[1..1]	Text		57
	<b>Explanation</b> <Expltn>	[1..1]	Text		57

#### Constraints

- **RegionPresenceRule**

If Region is present, then Code must be equal to ZeroRate or Taxable.

On Condition

/Region is present

Following Must be True

/Code Must be equal to value 'ZeroRate'

Or /Code Must be equal to value 'Taxable'

#### 2.4.2.6.10.7.1 Code <Cd>

*Presence:* [1..1]

*Definition:* Identifies the taxable status of the service.

*Datatype:* "ServiceTaxDesignation1Code" on page 129

CodeName	Name	Definition
XMPT	Exempt	No taxes are due.
ZERO	ZeroRate	Tax is due but at zero percent and a zero charge.
TAXE	Taxable	One or more taxes are due on this service.

#### 2.4.2.6.10.7.2 Region <Rgn>

*Presence:* [0..1]

*Definition:* Defines the tax region associated with the service. This element must be present if taxes are involved with any portion of the statement.

*Datatype:* "Max35Text" on page 135

#### 2.4.2.6.10.7.3 TaxReason <TaxRsn>

*Presence:* [0..\*]

*Definition:* Provides free form explanations of the various tax codes used within the statement.

**TaxReason <TaxRsn>** contains the following **TaxReason1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Code</b> <Cd>	[1..1]	Text		57
	<b>Explanation</b> <Expltn>	[1..1]	Text		57

##### 2.4.2.6.10.7.3.1 Code <Cd>

*Presence:* [1..1]

*Definition:* Reason why the service is taxed, in a coded form.

*Datatype:* "Max10Text" on page 133

##### 2.4.2.6.10.7.3.2 Explanation <Expltn>

*Presence:* [1..1]

*Definition:* Reason why the service is taxed, in a free-text form.

*Datatype:* "Max105Text" on page 133

#### 2.4.2.6.10.8 TaxCalculation <TaxClctn>

*Presence:* [0..1]

*Definition:* Provides tax related values for tax calculation methods A, B or D.

**TaxCalculation <TaxClctn>** contains one of the following **BillingMethod1Choice** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	<b>MethodA &lt;MtdA&gt;</b>	[1..1]			59
	<b>ServiceChargeHostAmount &lt;SvcChrgHstAmt&gt;</b>	[1..1]	±		59
	<b>ServiceTax &lt;SvcTax&gt;</b>	[1..1]			59
	<b>HostAmount &lt;HstAmt&gt;</b>	[1..1]	±		60
	<b>PricingAmount &lt;PricgAmt&gt;</b>	[0..1]	±		60
	<b>TotalCharge &lt;TtlChrg&gt;</b>	[1..1]			60
	<b>HostAmount &lt;HstAmt&gt;</b>	[1..1]	±		61
	<b>SettlementAmount &lt;SttlmAmt&gt;</b>	[0..1]	±		61
	<b>PricingAmount &lt;PricgAmt&gt;</b>	[0..1]	±		61
	<b>TaxIdentification &lt;TaxId&gt;</b>	[1..3]			61
	<b>Number &lt;Nb&gt;</b>	[1..1]	Text		62
	<b>Description &lt;Desc&gt;</b>	[0..1]	Text		62
	<b>Rate &lt;Rate&gt;</b>	[1..1]	Quantity		62
	<b>HostAmount &lt;HstAmt&gt;</b>	[1..1]	±		62
	<b>PricingAmount &lt;PricgAmt&gt;</b>	[0..1]	±		62
Or	<b>MethodB &lt;MtdB&gt;</b>	[1..1]			63
	<b>ServiceChargeHostAmount &lt;SvcChrgHstAmt&gt;</b>	[1..1]	±		63
	<b>ServiceTax &lt;SvcTax&gt;</b>	[1..1]			63
	<b>HostAmount &lt;HstAmt&gt;</b>	[1..1]	±		64
	<b>PricingAmount &lt;PricgAmt&gt;</b>	[0..1]	±		64
	<b>TaxIdentification &lt;TaxId&gt;</b>	[1..3]			64
	<b>Number &lt;Nb&gt;</b>	[1..1]	Text		65
	<b>Description &lt;Desc&gt;</b>	[0..1]	Text		65
	<b>Rate &lt;Rate&gt;</b>	[1..1]	Quantity		65
	<b>HostAmount &lt;HstAmt&gt;</b>	[1..1]	±		65
	<b>PricingAmount &lt;PricgAmt&gt;</b>	[0..1]	±		65
Or}	<b>MethodD &lt;MtdD&gt;</b>	[1..1]			66
	<b>ServiceTaxPriceAmount &lt;SvcTaxPricAmt&gt;</b>	[1..1]	±		66
	<b>TaxIdentification &lt;TaxId&gt;</b>	[1..3]			66
	<b>Number &lt;Nb&gt;</b>	[1..1]	Text		67
	<b>Description &lt;Desc&gt;</b>	[0..1]	Text		67

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Rate</b> <Rate>	[1..1]	Quantity		67
	<b>PricingAmount</b> <PrigAmt>	[1..1]	±		67

#### 2.4.2.6.10.8.1 MethodA <MtdA>

*Presence:* [1..1]

*Definition:* Tax values are based on tax calculation method A.

**MethodA <MtdA>** contains the following **BillingMethod1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>ServiceChargeHostAmount</b> <SvcChrgHstAmt>	[1..1]	±		59
	<b>ServiceTax</b> <SvcTax>	[1..1]			59
	<b>HostAmount</b> <HstAmt>	[1..1]	±		60
	<b>PricingAmount</b> <PrigAmt>	[0..1]	±		60
	<b>TotalCharge</b> <TtlChrg>	[1..1]			60
	<b>HostAmount</b> <HstAmt>	[1..1]	±		61
	<b>SettlementAmount</b> <SttlmAmt>	[0..1]	±		61
	<b>PricingAmount</b> <PrigAmt>	[0..1]	±		61
	<b>TaxIdentification</b> <TaxId>	[1..3]			61
	<b>Number</b> <Nb>	[1..1]	Text		62
	<b>Description</b> <Desc>	[0..1]	Text		62
	<b>Rate</b> <Rate>	[1..1]	Quantity		62
	<b>HostAmount</b> <HstAmt>	[1..1]	±		62
	<b>PricingAmount</b> <PrigAmt>	[0..1]	±		62

#### 2.4.2.6.10.8.1.1 ServiceChargeHostAmount <SvcChrgHstAmt>

*Presence:* [1..1]

*Definition:* Amount of the original charge expressed in the host currency.

**ServiceChargeHostAmount <SvcChrgHstAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Amount</b> <Amt>	[1..1]	Amount	C1, C5	93
	<b>Sign</b> <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.10.8.1.2 ServiceTax <SvcTax>

*Presence:* [1..1]

*Definition:* Provides for the regional taxes on the service. Up to three regional taxes may be defined for the same service.

**ServiceTax <SvcTax>** contains the following **BillingServicesAmount1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>HostAmount</b> <HstAmt>	[1..1]	±		60
	<b>PricingAmount</b> <PrigAmt>	[0..1]	±		60

#### 2.4.2.6.10.8.1.2.1 HostAmount <HstAmt>

*Presence:* [1..1]

*Definition:* Sum of all the individual taxes on the service expressed in the host currency.

**HostAmount <HstAmt>** contains the following elements (see "[AmountAndDirection34](#)" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.10.8.1.2.2 PricingAmount <PrigAmt>

*Presence:* [0..1]

*Definition:* Amount of the tax obligation expressed in the tax region's pricing currency.

*Usage:* This is the same amount as carried in the host amount but allows the sender to optionally express the value in the pricing currency.

**PricingAmount <PrigAmt>** contains the following elements (see "[AmountAndDirection34](#)" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.10.8.1.3 TotalCharge <TtlChrg>

*Presence:* [1..1]

*Definition:* Specifies the total charge for a service (including taxes).

**TotalCharge <TtlChrg>** contains the following **BillingServicesAmount2** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>HostAmount</b> <HstAmt>	[1..1]	±		61
	<b>SettlementAmount</b> <SttlmAmt>	[0..1]	±		61
	<b>PricingAmount</b> <PrigAmt>	[0..1]	±		61

**2.4.2.6.10.8.1.3.1 HostAmount <HstAmt>***Presence:* [1..1]*Definition:* Sum of the original charge host amount and the service tax host amount values. It represents the total charge for a service (including taxes) expressed in the host currency.**HostAmount <HstAmt>** contains the following elements (see ["AmountAndDirection34"](#) on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**2.4.2.6.10.8.1.3.2 SettlementAmount <SttlmAmt>***Presence:* [0..1]*Definition:* Sum of the original charge host amount and the service tax host amount values but expressed in the settlement currency.**SettlementAmount <SttlmAmt>** contains the following elements (see ["AmountAndDirection34"](#) on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**2.4.2.6.10.8.1.3.3 PricingAmount <PricgAmt>***Presence:* [0..1]*Definition:* Sum of the original charge host amount and the service tax host amount values but expressed in the pricing currency.**PricingAmount <PricgAmt>** contains the following elements (see ["AmountAndDirection34"](#) on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**2.4.2.6.10.8.1.4 TaxIdentification <TaxId>***Presence:* [1..3]*Definition:* Provides for the specific tax identification within the same tax region.

Usage: This element allows for a maximum of three regional taxes on the same service.

**TaxIdentification <TaxId>** contains the following **BillingServicesTax1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Number &lt;Nb&gt;</b>	[1..1]	Text		62
	<b>Description &lt;Desc&gt;</b>	[0..1]	Text		62
	<b>Rate &lt;Rate&gt;</b>	[1..1]	Quantity		62
	<b>HostAmount &lt;HstAmt&gt;</b>	[1..1]	±		62
	<b>PricingAmount &lt;PrigAmt&gt;</b>	[0..1]	±		62

#### 2.4.2.6.10.8.1.4.1 Number <Nb>

*Presence:* [1..1]

*Definition:* Identification number of the specific region tax used to calculate the tax.

*Datatype:* "Max35Text" on page 135

#### 2.4.2.6.10.8.1.4.2 Description <Desc>

*Presence:* [0..1]

*Definition:* Name used to describe the tax (such as the national value added tax).

*Datatype:* "Max40Text" on page 135

#### 2.4.2.6.10.8.1.4.3 Rate <Rate>

*Presence:* [1..1]

*Definition:* Rate used to calculate the tax.

*Datatype:* "DecimalNumber" on page 132

#### 2.4.2.6.10.8.1.4.4 HostAmount <HstAmt>

*Presence:* [1..1]

*Definition:* Amount of the tax obligation expressed in the tax region's host currency.

**HostAmount <HstAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.10.8.1.4.5 PricingAmount <PrigAmt>

*Presence:* [0..1]

*Definition:* Amount of the tax obligation expressed in the tax region's pricing currency.

**PricingAmount <PrigAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.10.8.2 MethodB <MtdB>

*Presence:* [1..1]

*Definition:* Tax values are based on tax calculation method B.

**MethodB <MtdB>** contains the following **BillingMethod2** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>ServiceChargeHostAmount</b> <SvcChrgHstAmt>	[1..1]	±		63
	<b>ServiceTax</b> <SvcTax>	[1..1]			63
	<b>HostAmount</b> <HstAmt>	[1..1]	±		64
	<b>PricingAmount</b> <PrigAmt>	[0..1]	±		64
	<b>TaxIdentification</b> <TaxId>	[1..3]			64
	<b>Number</b> <Nb>	[1..1]	Text		65
	<b>Description</b> <Desc>	[0..1]	Text		65
	<b>Rate</b> <Rate>	[1..1]	Quantity		65
	<b>HostAmount</b> <HstAmt>	[1..1]	±		65
	<b>PricingAmount</b> <PrigAmt>	[0..1]	±		65

#### 2.4.2.6.10.8.2.1 ServiceChargeHostAmount <SvcChrgHstAmt>

*Presence:* [1..1]

*Definition:* Amount of the original charge expressed in the host currency.

**ServiceChargeHostAmount <SvcChrgHstAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.10.8.2.2 ServiceTax <SvcTax>

*Presence:* [1..1]

*Definition:* Provides for the regional taxes on the service. Up to three regional taxes may be defined for the same service.

**ServiceTax <SvcTax>** contains the following **BillingServicesAmount1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>HostAmount</b> <HstAmt>	[1..1]	±		64
	<b>PricingAmount</b> <PrigAmt>	[0..1]	±		64

#### 2.4.2.6.10.8.2.2.1 HostAmount <HstAmt>

*Presence:* [1..1]

*Definition:* Sum of all the individual taxes on the service expressed in the host currency.

**HostAmount <HstAmt>** contains the following elements (see "[AmountAndDirection34](#)" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.10.8.2.2.2 PricingAmount <PrigAmt>

*Presence:* [0..1]

*Definition:* Amount of the tax obligation expressed in the tax region's pricing currency.

*Usage:* This is the same amount as carried in the host amount but allows the sender to optionally express the value in the pricing currency.

**PricingAmount <PrigAmt>** contains the following elements (see "[AmountAndDirection34](#)" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.10.8.2.3 TaxIdentification <TaxId>

*Presence:* [1..3]

*Definition:* Provides for the specific tax identification within the same tax region.

*Usage:* This element allows for a maximum of three regional taxes on the same service.

**TaxIdentification <TaxId>** contains the following **BillingServicesTax1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Number &lt;Nb&gt;</b>	[1..1]	Text		65
	<b>Description &lt;Desc&gt;</b>	[0..1]	Text		65
	<b>Rate &lt;Rate&gt;</b>	[1..1]	Quantity		65
	<b>HostAmount &lt;HstAmt&gt;</b>	[1..1]	±		65
	<b>PricingAmount &lt;PrigAmt&gt;</b>	[0..1]	±		65

#### 2.4.2.6.10.8.2.3.1 Number <Nb>

*Presence:* [1..1]

*Definition:* Identification number of the specific region tax used to calculate the tax.

*Datatype:* "Max35Text" on page 135

#### 2.4.2.6.10.8.2.3.2 Description <Desc>

*Presence:* [0..1]

*Definition:* Name used to describe the tax (such as the national value added tax).

*Datatype:* "Max40Text" on page 135

#### 2.4.2.6.10.8.2.3.3 Rate <Rate>

*Presence:* [1..1]

*Definition:* Rate used to calculate the tax.

*Datatype:* "DecimalNumber" on page 132

#### 2.4.2.6.10.8.2.3.4 HostAmount <HstAmt>

*Presence:* [1..1]

*Definition:* Amount of the tax obligation expressed in the tax region's host currency.

**HostAmount <HstAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.10.8.2.3.5 PricingAmount <PrigAmt>

*Presence:* [0..1]

*Definition:* Amount of the tax obligation expressed in the tax region's pricing currency.

**PricingAmount <PrigAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.10.8.3 MethodD <MtdD>

*Presence:* [1..1]

*Definition:* Tax values are based on tax calculation method D.

**MethodD <MtdD>** contains the following **BillingMethod3** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>ServiceTaxPriceAmount</b> <SvcTaxPricAmt>	[1..1]	±		66
	<b>TaxIdentification</b> <TaxId>	[1..3]			66
	<b>Number</b> <Nb>	[1..1]	Text		67
	<b>Description</b> <Desc>	[0..1]	Text		67
	<b>Rate</b> <Rate>	[1..1]	Quantity		67
	<b>PricingAmount</b> <PrigAmt>	[1..1]	±		67

##### 2.4.2.6.10.8.3.1 ServiceTaxPriceAmount <SvcTaxPricAmt>

*Presence:* [1..1]

*Definition:* Equivalent amount to the service tax host amount but allows the sender to optionally express the value in the pricing currency.

**ServiceTaxPriceAmount <SvcTaxPricAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

##### 2.4.2.6.10.8.3.2 TaxIdentification <TaxId>

*Presence:* [1..3]

*Definition:* Provides for the specific tax identification within the same tax region.

*Usage:* This element allows for a maximum of three regional taxes on the same service.

**TaxIdentification <TaxId>** contains the following **BillingServicesTax2** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Number &lt;Nb&gt;</b>	[1..1]	Text		67
	<b>Description &lt;Desc&gt;</b>	[0..1]	Text		67
	<b>Rate &lt;Rate&gt;</b>	[1..1]	Quantity		67
	<b>PricingAmount &lt;PrigAmt&gt;</b>	[1..1]	±		67

#### 2.4.2.6.10.8.3.2.1 Number <Nb>

*Presence:* [1..1]

*Definition:* Identification number of the specific region tax used to calculate the tax.

*Datatype:* "Max35Text" on page 135

#### 2.4.2.6.10.8.3.2.2 Description <Desc>

*Presence:* [0..1]

*Definition:* Name used to describe the tax (such as the national value added tax).

*Datatype:* "Max40Text" on page 135

#### 2.4.2.6.10.8.3.2.3 Rate <Rate>

*Presence:* [1..1]

*Definition:* Rate used to calculate the tax.

*Datatype:* "DecimalNumber" on page 132

#### 2.4.2.6.10.8.3.2.4 PricingAmount <PrigAmt>

*Presence:* [1..1]

*Definition:* Amount of the tax obligation expressed in the tax region's pricing currency.

**PricingAmount <PrigAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.11 TaxRegion <TaxRgn>

*Presence:* [0..\*]

*Definition:* Tax region that levy a tax on the services within this statement.

**TaxRegion <TaxRgn>** contains the following **BillingTaxRegion3** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>RegionNumber</b> <RgnNb>	[1..1]	Text		69
	<b>RegionName</b> <RgnNm>	[1..1]	Text		69
	<b>CustomerTaxIdentification</b> <CstmrTaxId>	[1..1]	Text		69
	<b>PointDate</b> <PtDt>	[0..1]	Date		69
	<b>SendingFinancialInstitution</b> <SndgFI>	[0..1]			69
	<b>VATRegistrationNumber</b> <VATRegnNb>	[0..1]	Text		70
	<b>TaxRegistrationNumber</b> <TaxRegnNb>	[0..1]	Text		70
	<b>TaxContact</b> <TaxCtct>	[0..1]	±		70
	<b>InvoiceNumber</b> <InvcNb>	[0..1]	Text		71
	<b>MethodC</b> <MtdC>	[0..1]			71
	<b>ServiceDetail</b> <SvcDtl>	[1..*]			72
	<b>BankService</b> <BkSvc>	[1..1]			73
	<b>Identification</b> <Id>	[1..1]	Text		73
	<b>SubService</b> <SubSvc>	[0..1]			74
	<b>Issuer</b> <Issr>	[1..1]			74
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		74
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		75
	<b>Identification</b> <Id>	[1..1]	Text		75
	<b>Description</b> <Desc>	[1..1]	Text		75
	<b>Volume</b> <Vol>	[0..1]	Quantity		75
	<b>UnitPrice</b> <UnitPric>	[0..1]	±		75
	<b>ServiceChargeAmount</b> <SvcChrgAmt>	[1..1]	±		75
	<b>TaxCalculation</b> <TaxClctn>	[1..1]			76
	<b>HostCurrency</b> <HstCcy>	[1..1]	CodeSet	C1	76
	<b>TaxableServiceChargeConversion</b> <TaxblSvcChrgConvs>	[1..*]			77
	<b>SourceAmount</b> <SrcAmt>	[1..1]	±		77
	<b>HostAmount</b> <HstAmt>	[1..1]	±		77
	<b>TotalTaxableServiceChargeHostAmount</b> <TtlTaxblSvcChrgHstAmt>	[1..1]	±		78
	<b>TaxIdentification</b> <TaxId>	[1..3]			78
	<b>Number</b> <Nb>	[1..1]	Text		78

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Description</b> <Desc>	[0..1]	Text		78
	<b>Rate</b> <Rate>	[1..1]	Quantity		79
	<b>TotalTaxAmount</b> <TtlTaxAmt>	[1..1]	±		79
	<b>TotalTax</b> <TtlTax>	[1..1]	±		79
	<b>SettlementAmount</b> <SttlmAmt>	[1..1]	±		79
	<b>TaxDueToRegion</b> <TaxDueToRgn>	[1..1]	±		80

#### 2.4.2.6.11.1 RegionNumber <RgnNb>

*Presence:* [1..1]

*Definition:* Specifies a particular unique zone of taxes assigned by taxing authorities. A tax region number is unique. Every account is considered to reside within a tax region, although some tax regions may not charge taxes on services.

*Datatype:* "Max40Text" on page 135

#### 2.4.2.6.11.2 RegionName <RgnNm>

*Presence:* [1..1]

*Definition:* Name associated with a specific tax region number.

*Datatype:* "Max40Text" on page 135

#### 2.4.2.6.11.3 CustomerTaxIdentification <CstmrTaxId>

*Presence:* [1..1]

*Definition:* Specifies the financial institution's customer tax identification number.

*Usage:*

This is the number passed from the financial institution to the taxing authority to indicate the specific customer tied to the taxes calculated for this tax region and group of delivered services. It is typically the tax identification tied to a customer's account.

*Datatype:* "Max40Text" on page 135

#### 2.4.2.6.11.4 PointDate <PtDt>

*Presence:* [0..1]

*Definition:* Date on which the tax calculation was performed.

*Usage:*

This date can be used to verify the tax rate value on the calculation date.

*Datatype:* "ISODate" on page 129

#### 2.4.2.6.11.5 SendingFinancialInstitution <SndgFI>

*Presence:* [0..1]

*Definition:* Tax information that relates to the sending financial institution.

**SendingFinancialInstitution <SndgFI>** contains the following **BillingTaxIdentification3** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>VATRegistrationNumber</b> <VATRegnNb>	[0..1]	Text		70
	<b>TaxRegistrationNumber</b> <TaxRegnNb>	[0..1]	Text		70
	<b>TaxContact</b> <TaxCtct>	[0..1]	±		70

#### 2.4.2.6.11.5.1 VATRegistrationNumber <VATRegnNb>

*Presence:* [0..1]

*Definition:* Value added tax (VAT) registration number as provided by the region's local taxing authority.

*Datatype:* "Max35Text" on page 135

#### 2.4.2.6.11.5.2 TaxRegistrationNumber <TaxRegnNb>

*Presence:* [0..1]

*Definition:* Tax registration number (TRN) as provided by the tax region's local taxing authority.

*Datatype:* "Max35Text" on page 135

#### 2.4.2.6.11.5.3 TaxContact <TaxCtct>

*Presence:* [0..1]

*Definition:* Specifies financial institution's contact details for the tax region. This contact works for the financial institution, not the tax region.

**TaxContact <TaxCtct>** contains the following elements (see "Contact13" on page 110 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	NamePrefix <NmPrfx>	[0..1]	CodeSet		111
	Name <Nm>	[0..1]	Text		111
	PhoneNumber <PhneNb>	[0..1]	Text		111
	MobileNumber <MobNb>	[0..1]	Text		112
	FaxNumber <FaxNb>	[0..1]	Text		112
	URLAddress <URLAdr>	[0..1]	Text		112
	EmailAddress <EmailAdr>	[0..1]	Text		112
	EmailPurpose <EmailPurp>	[0..1]	Text		112
	JobTitle <JobTitl>	[0..1]	Text		112
	Responsibility <Rspnsblty>	[0..1]	Text		112
	Department <Dept>	[0..1]	Text		112
	Other <Othr>	[0..*]			113
	ChannelType <ChanlTp>	[1..1]	Text		113
	Identification <Id>	[0..1]	Text		113
	PreferredMethod <PrefrdMtd>	[0..1]	CodeSet		113

#### 2.4.2.6.11.6 InvoiceNumber <InvNb>

*Presence:* [0..1]

*Definition:* Unique number to be used by the customer to cross-reference between the tax region information and a tax invoice or notice.

*Datatype:* "Max40Text" on page 135

#### 2.4.2.6.11.7 MethodC <MtdC>

*Presence:* [0..1]

*Definition:* Tax values are based on tax calculation method C.

**MethodC <MtdC>** contains the following **BillingMethod4** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>ServiceDetail</b> <SvcDtl>	[1..*]			72
	<b>BankService</b> <BkSvc>	[1..1]			73
	<b>Identification</b> <Id>	[1..1]	Text		73
	<b>SubService</b> <SubSvc>	[0..1]			74
	<b>Issuer</b> <Issr>	[1..1]			74
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		74
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		75
	<b>Identification</b> <Id>	[1..1]	Text		75
	<b>Description</b> <Desc>	[1..1]	Text		75
	<b>Volume</b> <Vol>	[0..1]	Quantity		75
	<b>UnitPrice</b> <UnitPric>	[0..1]	±		75
	<b>ServiceChargeAmount</b> <SvcChrgAmt>	[1..1]	±		75
	<b>TaxCalculation</b> <TaxClctn>	[1..1]			76
	<b>HostCurrency</b> <HstCcy>	[1..1]	CodeSet	C1	76
	<b>TaxableServiceChargeConversion</b> <TaxblSvcChrgConvs>	[1..*]			77
	<b>SourceAmount</b> <SrcAmt>	[1..1]	±		77
	<b>HostAmount</b> <HstAmt>	[1..1]	±		77
	<b>TotalTaxableServiceChargeHostAmount</b> <TtlTaxblSvcChrgHstAmt>	[1..1]	±		78
	<b>TaxIdentification</b> <TaxId>	[1..3]			78
	<b>Number</b> <Nb>	[1..1]	Text		78
	<b>Description</b> <Desc>	[0..1]	Text		78
	<b>Rate</b> <Rate>	[1..1]	Quantity		79
	<b>TotalTaxAmount</b> <TtlTaxAmt>	[1..1]	±		79
	<b>TotalTax</b> <TtlTax>	[1..1]	±		79

#### 2.4.2.6.11.7.1 ServiceDetail <SvcDtl>

*Presence:* [1..\*]

*Definition:* Specifies the details of the taxable services using tax calculation method C.

**ServiceDetail <SvcDtl>** contains the following **BillingServiceParameters2** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>BankService</b> <BkSvc>	[1..1]			73
	<b>Identification</b> <Id>	[1..1]	Text		73
	<b>SubService</b> <SubSvc>	[0..1]			74
	<b>Issuer</b> <Issr>	[1..1]			74
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		74
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		75
	<b>Identification</b> <Id>	[1..1]	Text		75
	<b>Description</b> <Desc>	[1..1]	Text		75
	<b>Volume</b> <Vol>	[0..1]	Quantity		75
	<b>UnitPrice</b> <UnitPric>	[0..1]	±		75
	<b>ServiceChargeAmount</b> <SvcChrgAmt>	[1..1]	±		75

#### 2.4.2.6.11.7.1.1 BankService <BkSvc>

*Presence:* [1..1]

*Definition:* Specifies the details to fully identify the bank service.

**BankService <BkSvc>** contains the following **BillingServiceIdentification2** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Identification</b> <Id>	[1..1]	Text		73
	<b>SubService</b> <SubSvc>	[0..1]			74
	<b>Issuer</b> <Issr>	[1..1]			74
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		74
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		75
	<b>Identification</b> <Id>	[1..1]	Text		75
	<b>Description</b> <Desc>	[1..1]	Text		75

#### 2.4.2.6.11.7.1.1.1 Identification <Id>

*Presence:* [1..1]

*Definition:* Financial institution's own, internal service identification code, different from the common code.

*Usage:* The financial institution own code is used to uniquely identify the service within the financial institution.

*Datatype:* "Max35Text" on page 135

**2.4.2.6.11.7.1.1.2 SubService <SubSvc>***Presence:* [0..1]*Definition:* Defines the financial institution sub-service identification if the financial institution service identification code is used for more than one service.**SubService <SubSvc>** contains the following **BillingSubServiceIdentification1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Issuer</b> <Issr>	[1..1]			74
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		74
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		75
	<b>Identification</b> <Id>	[1..1]	Text		75

**2.4.2.6.11.7.1.1.2.1 Issuer <Issr>***Presence:* [1..1]*Definition:* Specifies the qualifier of the sub service.**Issuer <Issr>** contains one of the following **BillingSubServiceQualifier1Choice** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		74
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		75

**2.4.2.6.11.7.1.1.2.1.1 Code <Cd>***Presence:* [1..1]*Definition:* Specifies the contents of the sub service qualifier, in a coded form.*Datatype:* "BillingSubServiceQualifier1Code" on page 123

CodeName	Name	Definition
LBOX	Lockbox	Subservice code contains a lockbox number which identifies the lockbox using the service.
STOR	Store	Subservice code contains a store number which identifies the store using the service.
BILA	BilaterallyAgreed	Meaning of the subservice code is established by the trading partners.
SEQN	SequenceNumber	Subservice code is an arbitrary sequence number used to uniquely identify this Service and prevent duplicate services within this statement.

CodeName	Name	Definition
MACT	MemberAccount	Subservice code is the account number of a member of a relationship structure. This allows a parent statement to include the same service as rolled up from its member accounts and still avoid duplicate service identification within the statement.

#### 2.4.2.6.11.7.1.1.2.1.2 Proprietary <Prtry>

*Presence:* [1..1]

*Definition:* Specifies the contents of the sub service qualifier, in a free-text form.

*Datatype:* "Max35Text" on page 135

#### 2.4.2.6.11.7.1.1.2.2 Identification <Id>

*Presence:* [1..1]

*Definition:* Further defines a financial institution service, through the provision of the value required by the sub service qualifier, such as the actual lockbox number or store number.

*Datatype:* "Max35Text" on page 135

#### 2.4.2.6.11.7.1.1.3 Description <Desc>

*Presence:* [1..1]

*Definition:* Specifies further details to describe the financial institution service description, which is not the standard description related to the common code.

*Datatype:* "Max70Text" on page 136

#### 2.4.2.6.11.7.1.2 Volume <Vol>

*Presence:* [0..1]

*Definition:* Count or number of items (volume) involved in the charge.

*Datatype:* "DecimalNumber" on page 132

#### 2.4.2.6.11.7.1.3 UnitPrice <UnitPric>

*Presence:* [0..1]

*Definition:* Price per item or unit used to calculate the charge expressed in the pricing currency.

**UnitPrice <UnitPric>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.11.7.1.4 ServiceChargeAmount <SvcChrgAmt>

*Presence:* [1..1]

*Definition:* Amount of the calculated charge expressed in the pricing currency, exclusive of any tax.

**ServiceChargeAmount <SvcChrgAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.11.7.2 TaxCalculation <TaxClctn>

*Presence:* [1..1]

*Definition:* Total amount of service charge to be taxed in the tax region's host currency along with the supporting tax calculations.

*Usage:* Used for tax calculation method C only, and only one per tax region may be specified.

**TaxCalculation <TaxClctn>** contains the following **TaxCalculation1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>HostCurrency</b> <HstCcy>	[1..1]	CodeSet	C1	76
	<b>TaxableServiceChargeConversion</b> <TaxblSvcChrgConvs>	[1..*]			77
	<b>SourceAmount</b> <SrcAmt>	[1..1]	±		77
	<b>HostAmount</b> <HstAmt>	[1..1]	±		77
	<b>TotalTaxableServiceChargeHostAmount</b> <TtlTaxblSvcChrgHstAmt>	[1..1]	±		78
	<b>TaxIdentification</b> <TaxId>	[1..3]			78
	<b>Number</b> <Nb>	[1..1]	Text		78
	<b>Description</b> <Desc>	[0..1]	Text		78
	<b>Rate</b> <Rate>	[1..1]	Quantity		79
	<b>TotalTaxAmount</b> <TtlTaxAmt>	[1..1]	±		79
	<b>TotalTax</b> <TtlTax>	[1..1]	±		79

##### 2.4.2.6.11.7.2.1 HostCurrency <HstCcy>

*Presence:* [1..1]

*Definition:* Currency that all totals for taxable services must be converted to for calculating taxes owed for this tax region. This also is the currency in which the payment of tax obligations is usually submitted to the taxing authority.

*Impacted by:* C1 "ActiveOrHistoricCurrency"

*Datatype:* "ActiveOrHistoricCurrencyCode" on page 119

**Constraints**

- **ActiveOrHistoricCurrency**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

**2.4.2.6.11.7.2.2 TaxableServiceChargeConversion <TaxblSvcChrgConvs>**

*Presence:* [1..\*]

*Definition:* Taxable service charge amount conversions to host currency.

Usage: One occurrence must be present for each different service pricing currency in the statement.

**TaxableServiceChargeConversion <TaxblSvcChrgConvs>** contains the following **BillingServicesAmount3** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>SourceAmount</b> <SrcAmt>	[1..1]	±		77
	<b>HostAmount</b> <HstAmt>	[1..1]	±		77

**2.4.2.6.11.7.2.2.1 SourceAmount <SrcAmt>**

*Presence:* [1..1]

*Definition:* Represents the total of all taxable services in a specific tax region for a specific currency. For example, all taxable services for a tax region in Euro would be totalled here in the Euro currency.

**SourceAmount <SrcAmt>** contains the following elements (see "[AmountAndDirection34](#)" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**2.4.2.6.11.7.2.2.2 HostAmount <HstAmt>**

*Presence:* [1..1]

*Definition:* Represents the total of all taxable services in a specific tax region for a specific currency and is a one-to-one relationship with total taxable charge of services, but represented in the host currency after conversion.

**HostAmount <HstAmt>** contains the following elements (see "[AmountAndDirection34](#)" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**2.4.2.6.11.7.2.3 TotalTaxableServiceChargeHostAmount <TtlTaxblSvcChrgHstAmt>***Presence:* [1..1]*Definition:* Total of all services subject to tax for a specific tax region.*Usage:*

This field will equal the sum of all the separate host tax charge for service equivalent totals for each individual currency. It is expressed in the tax region's Host currency. This total is used to determine the tax due by calculating using each tax identifications rate.

**TotalTaxableServiceChargeHostAmount <TtlTaxblSvcChrgHstAmt>** contains the following elements (see "[AmountAndDirection34](#)" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**2.4.2.6.11.7.2.4 TaxIdentification <TaxId>***Presence:* [1..3]*Definition:* Provides for the specific tax identification within the same tax region.

*Usage:* A maximum of three specific tax identifications may be provided. These elements use the total host currency taxable amount as the basis of the calculation.

This element is only valid for method C.

**TaxIdentification <TaxId>** contains the following **BillingServicesTax3** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Number</b> <Nb>	[1..1]	Text		78
	<b>Description</b> <Desc>	[0..1]	Text		78
	<b>Rate</b> <Rate>	[1..1]	Quantity		79
	<b>TotalTaxAmount</b> <TtlTaxAmt>	[1..1]	±		79

**2.4.2.6.11.7.2.4.1 Number <Nb>***Presence:* [1..1]*Definition:* Identification number of the specific region tax used to calculate the tax.*Datatype:* "[Max35Text](#)" on page 135**2.4.2.6.11.7.2.4.2 Description <Desc>***Presence:* [0..1]*Definition:* Name used to describe the tax (such as the national value added tax).*Datatype:* "[Max40Text](#)" on page 135

**2.4.2.6.11.7.2.4.3 Rate <Rate>***Presence:* [1..1]*Definition:* Rate used to calculate the tax.*Datatype:* "DecimalNumber" on page 132**2.4.2.6.11.7.2.4.4 TotalTaxAmount <TtlTaxAmt>***Presence:* [1..1]*Definition:* Specifies the tax obligation for taxable services within a tax region for a specific tax identifier (such as national value added tax equals 34,00), and expressed in the tax region's host currency.**TotalTaxAmount <TtlTaxAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**2.4.2.6.11.7.2.5 TotalTax <TtlTax>***Presence:* [1..1]*Definition:* Total amount of all taxes for a specific customer within the tax region. This is a sum of all individual total tax amounts for tax identification 's expressed in the tax region's host currency.**TotalTax <TtlTax>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**2.4.2.6.11.8 SettlementAmount <SttlmAmt>***Presence:* [1..1]*Definition:* Total tax amount expressed in the account's settlement (or charging) currency.

Usage: This total sums the individual service level taxes as calculated for each service by methods A, B and D. The sum of these amounts across all tax regions for the statement is displayed as the tax total sum in the compensation section.

**SettlementAmount <SttlmAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**2.4.2.6.11.9 TaxDueToRegion <TaxDueToRgn>***Presence:* [1..1]*Definition:* Total amount of all taxes for a specific customer within the tax region expressed in the tax region's host currency.

Usage: It is the same value as total tax amount and is included for the specific use of tax calculation methods A, B and D.

**TaxDueToRegion <TaxDueToRgn>** contains the following elements (see "[AmountAndDirection34](#)" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**2.4.2.6.12 BalanceAdjustment <BalAdjstmnt>***Presence:* [0..\*]*Definition:* One or more sections that identify balance or float adjustments to the account. They can reflect either adjustments to the current statement or adjustments to statements from prior reporting periods.**BalanceAdjustment <BalAdjstmnt>** contains the following **BalanceAdjustment1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Type</b> <Tp>	[1..1]	CodeSet		80
	<b>Description</b> <Desc>	[1..1]	Text		81
	<b>BalanceAmount</b> <BalAmt>	[1..1]	±		81
	<b>AverageAmount</b> <AvrgAmt>	[0..1]	±		81
	<b>ErrorDate</b> <ErrDt>	[0..1]	Date		81
	<b>PostingDate</b> <PstngDt>	[1..1]	Date		81
	<b>Days</b> <Days>	[0..1]	Quantity		82
	<b>EarningsAdjustmentAmount</b> <EarngsAdjstmntAmt>	[0..1]	±		82

**2.4.2.6.12.1 Type <Tp>***Presence:* [1..1]*Definition:* Identifies the type of adjustment.*Datatype:* "[BalanceAdjustmentType1Code](#)" on page 120

CodeName	Name	Definition
LDGR	Ledger	Adjustment applies to the average ledger (book) balance.
FLOT	Float	Adjustment applies to the average float (unavailable) balance.

CodeName	Name	Definition
CLLD	Collected	Adjustment applies to the average collected (book less float) balance.

#### 2.4.2.6.12.2 Description <Desc>

*Presence:* [1..1]

*Definition:* Free-form description and clarification of the adjustment.

*Datatype:* "Max105Text" on page 133

#### 2.4.2.6.12.3 BalanceAmount <BalAmt>

*Presence:* [1..1]

*Definition:* Amount of the adjustment. If the amount would reduce the underlying balance then the amount should be negatively signed. Expressed in the Account currency.

**BalanceAmount <BalAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.12.4 AverageAmount <AvrgAmt>

*Presence:* [0..1]

*Definition:* Day-weighted net amount of the adjustment to the average collected balance over the statement period.

**AverageAmount <AvrgAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.12.5 ErrorDate <ErrDt>

*Presence:* [0..1]

*Definition:* Date on which the error occurred in the underlying cash account.

*Datatype:* "ISODate" on page 129

#### 2.4.2.6.12.6 PostingDate <PstngDt>

*Presence:* [1..1]

*Definition:* Date on which the error was corrected in the cash account. If the date is not know then use the last day of the month in which the error was corrected.

*Datatype:* "ISODate" on page 129

**2.4.2.6.12.7 Days <Days>***Presence:* [0..1]*Definition:* Number of days within the period to which the adjustment applies.*Datatype:* "DecimalNumber" on page 132**2.4.2.6.12.8 EarningsAdjustmentAmount <EarngsAdjstmntAmt>***Presence:* [0..1]*Definition:* Earnings credit adjustment, debit or credit, resulting from this adjustment's effect on the average collected balance. If the amount would reduce the credit due then the amount should be negatively signed.**EarningsAdjustmentAmount <EarngsAdjstmntAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**2.4.2.6.13 ServiceAdjustment <SvcAdjstmnt>***Presence:* [0..\*]*Definition:* One or more sections that identify line item service adjustments to the account. They reflect adjustments to statements from prior reporting periods.

**ServiceAdjustment <SvcAdjstmnt>** contains the following **BillingServiceAdjustment1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Type</b> <Tp>	[1..1]	CodeSet		83
	<b>Description</b> <Desc>	[1..1]	Text		84
	<b>Amount</b> <Amt>	[1..1]	±		84
	<b>BalanceRequiredAmount</b> <BalReqrdAmt>	[0..1]	±		84
	<b>ErrorDate</b> <ErrDt>	[0..1]	Date		84
	<b>AdjustmentIdentification</b> <AdjstmntId>	[0..1]	Text		84
	<b>SubService</b> <SubSvc>	[0..1]			84
	<b>Issuer</b> <Issr>	[1..1]			85
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		85
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		85
	<b>Identification</b> <Id>	[1..1]	Text		86
	<b>PriceChange</b> <PricChng>	[0..1]	±		86
	<b>OriginalPrice</b> <OrgnlPric>	[0..1]	±		86
	<b>NewPrice</b> <NewPric>	[0..1]	±		86
	<b>VolumeChange</b> <VolChng>	[0..1]	Quantity		86
	<b>OriginalVolume</b> <OrgnlVol>	[0..1]	Quantity		87
	<b>NewVolume</b> <NewVol>	[0..1]	Quantity		87
	<b>OriginalChargeAmount</b> <OrgnlChrgAmt>	[0..1]	±		87
	<b>NewChargeAmount</b> <NewChrgAmt>	[0..1]	±		87

#### 2.4.2.6.13.1 Type <Tp>

*Presence:* [1..1]

*Definition:* Identifies the type of adjustment.

*Datatype:* "ServiceAdjustmentType1Code" on page 128

CodeName	Name	Definition
COMP	Compensable	Adjustment applies to a service which is balance compensable. Earnings credits based on average balances maintained in the account can be used to offset the service charge.
NCMP	NonCompensable	Adjustment applies to a service which is not balance compensable. Balance based credits cannot be used to offset the service charge.

**2.4.2.6.13.2 Description <Desc>***Presence:* [1..1]*Definition:* Free-form description and clarification of the adjustment.*Datatype:* "Max140Text" on page 134**2.4.2.6.13.3 Amount <Amt>***Presence:* [1..1]*Definition:* Amount of the adjustment, expressed in the settlement currency.

Usage: If the amount would reduce charges due then the amount should be negatively signed.

**Amount <Amt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**2.4.2.6.13.4 BalanceRequiredAmount <BalReqrdAmt>***Presence:* [0..1]*Definition:* Specifies whether the balance amount requires an adjustment.**BalanceRequiredAmount <BalReqrdAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**2.4.2.6.13.5 ErrorDate <ErrDt>***Presence:* [0..1]*Definition:* Date on which the situation causing the service adjustment occurred. If the date is not known then used the last day of the month in which the situation occurred or the date of the billing statement which reported the original service to which this adjustment applies.*Datatype:* "ISODate" on page 129**2.4.2.6.13.6 AdjustmentIdentification <AdjstmntId>***Presence:* [0..1]*Definition:* Financial institution's own, internal service identification code, used to uniquely identify the service within the financial institution.*Datatype:* "Max35Text" on page 135**2.4.2.6.13.7 SubService <SubSvc>***Presence:* [0..1]*Definition:* Defines the financial institution sub-service identification if the financial institution service identification code is used for more than one service.

**SubService <SubSvc>** contains the following **BillingSubServiceIdentification1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	<b>Issuer</b> </Issr>	[1..1]			85
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		85
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		85
	<b>Identification</b> </Id>	[1..1]	Text		86

#### 2.4.2.6.13.7.1 Issuer <Issr>

*Presence:* [1..1]

*Definition:* Specifies the qualifier of the sub service.

**Issuer <Issr>** contains one of the following **BillingSubServiceQualifier1Choice** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	<b>Code</b> <Cd>	[1..1]	CodeSet		85
Or}	<b>Proprietary</b> <Prtry>	[1..1]	Text		85

##### 2.4.2.6.13.7.1.1 Code <Cd>

*Presence:* [1..1]

*Definition:* Specifies the contents of the sub service qualifier, in a coded form.

*Datatype:* "BillingSubServiceQualifier1Code" on page 123

CodeName	Name	Definition
LBOX	Lockbox	Subservice code contains a lockbox number which identifies the lockbox using the service.
STOR	Store	Subservice code contains a store number which identifies the store using the service.
BILA	BilaterallyAgreed	Meaning of the subservice code is established by the trading partners.
SEQN	SequenceNumber	Subservice code is an arbitrary sequence number used to uniquely identify this Service and prevent duplicate services within this statement.
MACT	MemberAccount	Subservice code is the account number of a member of a relationship structure. This allows a parent statement to include the same service as rolled up from its member accounts and still avoid duplicate service identification within the statement.

##### 2.4.2.6.13.7.1.2 Proprietary <Prtry>

*Presence:* [1..1]

*Definition:* Specifies the contents of the sub service qualifier, in a free-text form.

Datatype: "Max35Text" on page 135

#### 2.4.2.6.13.7.2 Identification <Id>

Presence: [1..1]

Definition: Further defines a financial institution service, through the provision of the value required by the sub service qualifier, such as the actual lockbox number or store number.

Datatype: "Max35Text" on page 135

#### 2.4.2.6.13.8 PriceChange <PricChng>

Presence: [0..1]

Definition: Change in the service price, expressed in the pricing currency. A negative value indicates a price reduction.

PriceChange <PricChng> contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.13.9 OriginalPrice <OrgnlPric>

Presence: [0..1]

Definition: Price that was applied to the service, prior to the change, expressed in the pricing currency.

OriginalPrice <OrgnlPric> contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.13.10 NewPrice <NewPric>

Presence: [0..1]

Definition: New, adjusted service price, expressed in the pricing currency.

NewPrice <NewPric> contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.13.11 VolumeChange <VolChng>

Presence: [0..1]

Definition: Change in the service volume. A negative value indicates a volume reduction.

*Datatype:* "DecimalNumber" on page 132

#### 2.4.2.6.13.12 OriginalVolume <OrgnlVol>

*Presence:* [0..1]

*Definition:* Original service volume.

*Datatype:* "DecimalNumber" on page 132

#### 2.4.2.6.13.13 NewVolume <NewVol>

*Presence:* [0..1]

*Definition:* New, adjusted service volume.

*Datatype:* "DecimalNumber" on page 132

#### 2.4.2.6.13.14 OriginalChargeAmount <OrgnlChrgAmt>

*Presence:* [0..1]

*Definition:* Service charge that was applied to the service, prior to the change, expressed in the pricing currency.

**OriginalChargeAmount <OrgnlChrgAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

#### 2.4.2.6.13.15 NewChargeAmount <NewChrgAmt>

*Presence:* [0..1]

*Definition:* New, adjusted service charge, expressed in the pricing currency.

**NewChargeAmount <NewChrgAmt>** contains the following elements (see "AmountAndDirection34" on page 93 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

## 3 Message Items Types

### 3.1 MessageComponents

#### 3.1.1 Account

##### 3.1.1.1 CashAccountType2Choice

*Definition:* Nature or use of the account.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	Code <Cd>	[1..1]	CodeSet		88
Or}	Proprietary <Prtry>	[1..1]	Text		88

##### 3.1.1.1.1 Code <Cd>

*Presence:* [1..1]

*Definition:* Account type, in a coded form.

*Datatype:* "ExternalCashAccountType1Code" on page 126

##### 3.1.1.1.2 Proprietary <Prtry>

*Presence:* [1..1]

*Definition:* Nature or use of the account in a proprietary form.

*Datatype:* "Max35Text" on page 135

##### 3.1.1.2 CashAccount40

*Definition:* Provides the details to identify an account.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Identification <Id>	[0..1]	±		89
	Type <Tp>	[0..1]	±		89
	Currency <Ccy>	[0..1]	CodeSet	C1	89
	Name <Nm>	[0..1]	Text		90
	Proxy <Prxy>	[0..1]	±		90

**Constraints**

- **IdentificationAndProxyGuideline**

If the account identification is not defined through a conventional identification such as an email address or a mobile number, then the proxy element should be used for the identification of the account.

- **IdentificationOrProxyPresenceRule**

Identification must be present or Proxy must be present. Both may be present.

Following Must be True  
     /Identification Must be present  
 Or     /Proxy Must be present

**3.1.1.2.1 Identification <Id>**

*Presence:* [0..1]

*Definition:* Unique and unambiguous identification for the account between the account owner and the account servicer.

**Identification <Id>** contains one of the following elements (see "[AccountIdentification4Choice](#)" on page 92 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	IBAN <IBAN>	[1..1]	IdentifierSet	C8	92
Or}	Other <Othr>	[1..1]	±		93

**3.1.1.2.2 Type <Tp>**

*Presence:* [0..1]

*Definition:* Specifies the nature, or use of the account.

**Type <Tp>** contains one of the following elements (see "[CashAccountType2Choice](#)" on page 88 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	Code <Cd>	[1..1]	CodeSet		88
Or}	Proprietary <Prtry>	[1..1]	Text		88

**3.1.1.2.3 Currency <Ccy>**

*Presence:* [0..1]

*Definition:* Identification of the currency in which the account is held.

Usage: Currency should only be used in case one and the same account number covers several currencies

and the initiating party needs to identify which currency needs to be used for settlement on the account.

*Impacted by:* [C1 "ActiveOrHistoricCurrency"](#)

*Datatype:* ["ActiveOrHistoricCurrencyCode"](#) on page 119

**Constraints**

- **ActiveOrHistoricCurrency**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3) contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

**3.1.1.2.4 Name <Nm>**

*Presence:* [0..1]

*Definition:* Name of the account, as assigned by the account servicing institution, in agreement with the account owner in order to provide an additional means of identification of the account.

*Usage:* The account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.

*Datatype:* "Max70Text" on page 136

**3.1.1.2.5 Proxy <Prxy>**

*Presence:* [0..1]

*Definition:* Specifies an alternate assumed name for the identification of the account.

**Proxy <Prxy>** contains the following elements (see "ProxyAccountIdentification1" on page 91 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Type <Tp>	[0..1]			91
{Or	Code <Cd>	[1..1]	CodeSet		92
Or}	Proprietary <Prtry>	[1..1]	Text		92
	Identification <Id>	[1..1]	Text		92

**3.1.1.3 GenericAccountIdentification1**

*Definition:* Information related to a generic account identification.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Identification <Id>	[1..1]	Text		90
	SchemeName <SchmeNm>	[0..1]			91
{Or	Code <Cd>	[1..1]	CodeSet		91
Or}	Proprietary <Prtry>	[1..1]	Text		91
	Issuer <Issr>	[0..1]	Text		91

**3.1.1.3.1 Identification <Id>**

*Presence:* [1..1]

*Definition:* Identification assigned by an institution.

*Datatype:* "Max34Text" on page 135

### 3.1.1.3.2 SchemeName <SchmeNm>

*Presence:* [0..1]

*Definition:* Name of the identification scheme.

**SchemeName <SchmeNm>** contains one of the following **AccountSchemeName1Choice** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	Code <Cd>	[1..1]	CodeSet		91
Or}	Proprietary <Prtry>	[1..1]	Text		91

#### 3.1.1.3.2.1 Code <Cd>

*Presence:* [1..1]

*Definition:* Name of the identification scheme, in a coded form as published in an external list.

*Datatype:* "ExternalAccountIdentification1Code" on page 124

#### 3.1.1.3.2.2 Proprietary <Prtry>

*Presence:* [1..1]

*Definition:* Name of the identification scheme, in a free text form.

*Datatype:* "Max35Text" on page 135

#### 3.1.1.3.3 Issuer <Issr>

*Presence:* [0..1]

*Definition:* Entity that assigns the identification.

*Datatype:* "Max35Text" on page 135

### 3.1.1.4 ProxyAccountIdentification1

*Definition:* Information related to a proxy identification of the account.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Type <Tp>	[0..1]			91
{Or	Code <Cd>	[1..1]	CodeSet		92
Or}	Proprietary <Prtry>	[1..1]	Text		92
	Identification <Id>	[1..1]	Text		92

#### 3.1.1.4.1 Type <Tp>

*Presence:* [0..1]

*Definition:* Type of the proxy identification.

**Type <Tp>** contains one of the following **ProxyAccountType1Choice** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	Code <Cd>	[1..1]	CodeSet		92
Or}	Proprietary <Prtry>	[1..1]	Text		92

#### 3.1.1.4.1.1 Code <Cd>

*Presence:* [1..1]

*Definition:* Name of the identification scheme, in a coded form as published in an external list.

*Datatype:* "ExternalProxyAccountType1Code" on page 127

#### 3.1.1.4.1.2 Proprietary <Prtry>

*Presence:* [1..1]

*Definition:* Name of the identification scheme, in a free text form.

*Datatype:* "Max35Text" on page 135

#### 3.1.1.4.2 Identification <Id>

*Presence:* [1..1]

*Definition:* Identification used to indicate the account identification under another specified name.

*Datatype:* "Max2048Text" on page 134

## 3.1.2 Account Identification

### 3.1.2.1 AccountIdentification4Choice

*Definition:* Specifies the unique identification of an account as assigned by the account servicer.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	IBAN <IBAN>	[1..1]	IdentifierSet	C8	92
Or}	Other <Othr>	[1..1]	±		93

#### 3.1.2.1.1 IBAN <IBAN>

*Presence:* [1..1]

*Definition:* International Bank Account Number (IBAN) - identifier used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later revisions.

*Impacted by:* C8 "IBAN"

*Datatype:* "IBAN2007Identifier" on page 131

**Constraints**

- **IBAN**

A valid IBAN consists of all three of the following components: Country Code, check digits and BBAN.

**3.1.2.1.2 Other <Othr>**

*Presence:* [1..1]

*Definition:* Unique identification of an account, as assigned by the account servicer, using an identification scheme.

**Other <Othr>** contains the following elements (see "[GenericAccountIdentification1](#)" on page 90 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Identification <Id>	[1..1]	Text		90
	SchemeName <SchmeNm>	[0..1]			91
{Or	Code <Cd>	[1..1]	CodeSet		91
Or}	Proprietary <Prtry>	[1..1]	Text		91
	Issuer <Issr>	[0..1]	Text		91

**3.1.3 Amount****3.1.3.1 AmountAndDirection34**

*Definition:* Amount of money expressed with an optional currency code and debit/credit indicator.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Amount <Amt>	[1..1]	Amount	C1, C5	93
	Sign <Sgn>	[1..1]	Indicator		94

**3.1.3.1.1 Amount <Amt>**

*Presence:* [1..1]

*Definition:* Amount of money that results in an increase (positively signed) or decrease (negatively signed), with specification of the currency.

*Impacted by:* C1 "ActiveOrHistoricCurrency", C5 "CurrencyAmount"

*Datatype:* "ActiveOrHistoricCurrencyAndAmount" on page 118

**Constraints**

- **ActiveOrHistoricCurrency**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3)

contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

- **CurrencyAmount**

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot.

### 3.1.3.1.2 Sign <Sgn>

*Presence:* [1..1]

*Definition:* Indicates that the amount value is positive or negative.

*Datatype:* One of the following values must be used (see ["PlusOrMinusIndicator" on page 131](#)):

- *Meaning When True:* Plus
- *Meaning When False:* Minus

## 3.1.4 Bank Transaction Code

### 3.1.4.1 BankTransactionCodeStructure4

*Definition:* Set of elements used to identify the type or operations code of a transaction entry.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Domain <Domn>	[0..1]	±		94
	Proprietary <Prtry>	[0..1]			95
	Code <Cd>	[1..1]	Text		95
	Issuer </ssr>	[0..1]	Text		95

#### Constraints

- **DomainOrProprietaryRule**

Either Proprietary or Domain or both must be present.

Following Must be True

/Domain Must be present

Or /Proprietary Must be present

- **FamilyAndSubFamilyRule**

If a specific (non-generic) Family code is not present, then a specific (non-generic) SubFamily code is not allowed.

#### 3.1.4.1.1 Domain <Domn>

*Presence:* [0..1]

*Definition:* Set of elements used to provide the domain, the family and the sub-family of the bank transaction code, in a structured and hierarchical format.

*Usage:* If a specific family or sub-family code cannot be provided, the generic family code defined for the domain or the generic sub-family code defined for the family should be provided.

**Domain <Domn>** contains the following elements (see ["BankTransactionCodeStructure5"](#) on page 96 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Code <Cd>	[1..1]	CodeSet		96
	Family <Fmly>	[1..1]	±		96

#### 3.1.4.1.2 Proprietary <Prtry>

*Presence:* [0..1]

*Definition:* Bank transaction code in a proprietary form, as defined by the issuer.

**Proprietary <Prtry>** contains the following **ProprietaryBankTransactionCodeStructure1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Code <Cd>	[1..1]	Text		95
	Issuer <Issr>	[0..1]	Text		95

##### 3.1.4.1.2.1 Code <Cd>

*Presence:* [1..1]

*Definition:* Proprietary bank transaction code to identify the underlying transaction.

*Datatype:* ["Max35Text"](#) on page 135

##### 3.1.4.1.2.2 Issuer <Issr>

*Presence:* [0..1]

*Definition:* Identification of the issuer of the proprietary bank transaction code.

*Datatype:* ["Max35Text"](#) on page 135

#### 3.1.4.2 BankTransactionCodeStructure6

*Definition:* Set of elements used to identify the type or operations code of a transaction entry.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Code <Cd>	[1..1]	CodeSet		95
	SubFamilyCode <SubFmlyCd>	[1..1]	CodeSet		95

##### 3.1.4.2.1 Code <Cd>

*Presence:* [1..1]

*Definition:* Specifies the family within a domain.

*Datatype:* ["ExternalBankTransactionFamily1Code"](#) on page 125

##### 3.1.4.2.2 SubFamilyCode <SubFmlyCd>

*Presence:* [1..1]

*Definition:* Specifies the sub-product family within a specific family.

*Datatype:* ["ExternalBankTransactionSubFamily1Code" on page 125](#)

### 3.1.4.3 BankTransactionCodeStructure5

*Definition:* Set of elements used to identify the type or operations code of a transaction entry.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Code <Cd>	[1..1]	CodeSet		96
	Family <Fmly>	[1..1]	±		96

#### 3.1.4.3.1 Code <Cd>

*Presence:* [1..1]

*Definition:* Specifies the business area of the underlying transaction.

*Datatype:* ["ExternalBankTransactionDomain1Code" on page 124](#)

#### 3.1.4.3.2 Family <Fmly>

*Presence:* [1..1]

*Definition:* Specifies the family and the sub-family of the bank transaction code, within a specific domain, in a structured and hierarchical format.

**Family <Fmly>** contains the following elements (see ["BankTransactionCodeStructure6" on page 95](#) for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Code <Cd>	[1..1]	CodeSet		95
	SubFamilyCode <SubFmlyCd>	[1..1]	CodeSet		95

## 3.1.5 Financial Institution Identification

### 3.1.5.1 ClearingSystemMemberIdentification2

*Definition:* Unique identification, as assigned by a clearing system, to unambiguously identify a member of the clearing system.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	ClearingSystemIdentification <ClrSysId>	[0..1]	±		96
	MemberIdentification <Mmbld>	[1..1]	Text		97

#### 3.1.5.1.1 ClearingSystemIdentification <ClrSysId>

*Presence:* [0..1]

*Definition:* Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

**ClearingSystemIdentification <ClrSysId>** contains one of the following elements (see "ClearingSystemIdentification2Choice" on page 117 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	Code <Cd>	[1..1]	CodeSet		118
Or}	Proprietary <Prtry>	[1..1]	Text		118

### 3.1.5.1.2 MemberIdentification <Mmbld>

*Presence:* [1..1]

*Definition:* Identification of a member of a clearing system.

*Datatype:* "Max35Text" on page 135

### 3.1.5.2 BranchAndFinancialInstitutionIdentification8

*Definition:* Unique and unambiguous identification of a financial institution or a branch of a financial institution.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	FinancialInstitutionIdentification <FinInstnId>	[1..1]			97
	BICFI <BICFI>	[0..1]	IdentifierSet	C3	98
	ClearingSystemMemberIdentification <ClrSysMmbld>	[0..1]	±		98
	LEI <LEI>	[0..1]	IdentifierSet		98
	Name <Nm>	[0..1]	Text		98
	PostalAddress <PstlAdr>	[0..1]	±		99
	Other <Othr>	[0..1]	±		99
	BranchIdentification <BrnchId>	[0..1]			100
	Identification <Id>	[0..1]	Text		100
	LEI <LEI>	[0..1]	IdentifierSet		100
	Name <Nm>	[0..1]	Text		100
	PostalAddress <PstlAdr>	[0..1]	±		100

#### 3.1.5.2.1 FinancialInstitutionIdentification <FinInstnId>

*Presence:* [1..1]

*Definition:* Unique and unambiguous identification of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

**FinancialInstitutionIdentification <FinInstnId>** contains the following **FinancialInstitutionIdentification23** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	BICFI <BICFI>	[0..1]	IdentifierSet	C3	98
	ClearingSystemMemberIdentification <ClrSysMmbld>	[0..1]	±		98
	LEI <LEI>	[0..1]	IdentifierSet		98
	Name <Nm>	[0..1]	Text		98
	PostalAddress <PstlAdr>	[0..1]	±		99
	Other <Othr>	[0..1]	±		99

#### 3.1.5.2.1.1 BICFI <BICFI>

*Presence:* [0..1]

*Definition:* Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362 "Banking - Banking telecommunication messages - Business identifier code (BIC)".

*Impacted by:* C3 "BICFI"

*Datatype:* "BICFIDec2014Identifier" on page 130

#### Constraints

- **BICFI**

Valid BICs for financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consist of eight (8) or eleven (11) contiguous characters.

#### 3.1.5.2.1.2 ClearingSystemMemberIdentification <ClrSysMmbld>

*Presence:* [0..1]

*Definition:* Information used to identify a member within a clearing system.

**ClearingSystemMemberIdentification <ClrSysMmbld>** contains the following elements (see "ClearingSystemMemberIdentification2" on page 96 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	ClearingSystemIdentification <ClrSysId>	[0..1]	±		96
	MemberIdentification <Mmbld>	[1..1]	Text		97

#### 3.1.5.2.1.3 LEI <LEI>

*Presence:* [0..1]

*Definition:* Legal entity identifier of the financial institution.

*Datatype:* "LEIIdentifier" on page 131

#### 3.1.5.2.1.4 Name <Nm>

*Presence:* [0..1]

*Definition:* Name by which an agent is known and which is usually used to identify that agent.

Datatype: "Max140Text" on page 134

### 3.1.5.2.1.5 PostalAddress <PstlAdr>

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

**PostalAddress <PstlAdr>** contains the following elements (see "PostalAddress27" on page 114 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	AddressType <AdrTp>	[0..1]			114
{Or	Code <Cd>	[1..1]	CodeSet		115
Or}	Proprietary <Prtry>	[1..1]	±		115
	CareOf <CareOf>	[0..1]	Text		115
	Department <Dept>	[0..1]	Text		115
	SubDepartment <SubDept>	[0..1]	Text		115
	StreetName <StrtNm>	[0..1]	Text		116
	BuildingNumber <BldgNb>	[0..1]	Text		116
	BuildingName <BldgNm>	[0..1]	Text		116
	Floor <Flr>	[0..1]	Text		116
	UnitNumber <UnitNb>	[0..1]	Text		116
	PostBox <PstBx>	[0..1]	Text		116
	Room <Room>	[0..1]	Text		116
	PostCode <PstCd>	[0..1]	Text		116
	TownName <TwnNm>	[0..1]	Text		117
	TownLocationName <TwnLctnNm>	[0..1]	Text		117
	DistrictName <DstrctNm>	[0..1]	Text		117
	CountrySubDivision <CtrySubDvsn>	[0..1]	Text		117
	Country <Ctry>	[0..1]	CodeSet	C4	117
	AddressLine <AdrLine>	[0..7]	Text		117

### 3.1.5.2.1.6 Other <Othr>

Presence: [0..1]

Definition: Unique identification of an agent, as assigned by an institution, using an identification scheme.

**Other <Othr>** contains the following elements (see "[GenericFinancialIdentification1](#)" on page 103 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Identification <Id>	[1..1]	Text		103
	SchemeName <SchmeNm>	[0..1]			103
{Or	Code <Cd>	[1..1]	CodeSet		103
Or}	Proprietary <Prtry>	[1..1]	Text		103
	Issuer <Issr>	[0..1]	Text		103

### 3.1.5.2.2 BranchIdentification <BrnchId>

*Presence:* [0..1]

*Definition:* Identifies a specific branch of a financial institution.

*Usage:* This component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

**BranchIdentification <BrnchId>** contains the following **BranchData5** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Identification <Id>	[0..1]	Text		100
	LEI <LEI>	[0..1]	IdentifierSet		100
	Name <Nm>	[0..1]	Text		100
	PostalAddress <PstlAdr>	[0..1]	±		100

#### 3.1.5.2.2.1 Identification <Id>

*Presence:* [0..1]

*Definition:* Unique and unambiguous identification of a branch of a financial institution.

*Datatype:* "[Max35Text](#)" on page 135

#### 3.1.5.2.2.2 LEI <LEI>

*Presence:* [0..1]

*Definition:* Legal entity identification for the branch of the financial institution.

*Datatype:* "[LEIIdentifier](#)" on page 131

#### 3.1.5.2.2.3 Name <Nm>

*Presence:* [0..1]

*Definition:* Name by which an agent is known and which is usually used to identify that agent.

*Datatype:* "[Max140Text](#)" on page 134

#### 3.1.5.2.2.4 PostalAddress <PstlAdr>

*Presence:* [0..1]

*Definition:* Information that locates and identifies a specific address, as defined by postal services.

**PostalAddress <PstlAdr>** contains the following elements (see "PostalAddress27" on page 114 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	AddressType <AdrTp>	[0..1]			114
{Or	Code <Cd>	[1..1]	CodeSet		115
Or}	Proprietary <Prtry>	[1..1]	±		115
	CareOf <CareOf>	[0..1]	Text		115
	Department <Dept>	[0..1]	Text		115
	SubDepartment <SubDept>	[0..1]	Text		115
	StreetName <StrtNm>	[0..1]	Text		116
	BuildingNumber <BldgNb>	[0..1]	Text		116
	BuildingName <BldgNm>	[0..1]	Text		116
	Floor <Flr>	[0..1]	Text		116
	UnitNumber <UnitNb>	[0..1]	Text		116
	PostBox <PstBx>	[0..1]	Text		116
	Room <Room>	[0..1]	Text		116
	PostCode <PstCd>	[0..1]	Text		116
	TownName <TwnNm>	[0..1]	Text		117
	TownLocationName <TwnLctnNm>	[0..1]	Text		117
	DistrictName <DstrctNm>	[0..1]	Text		117
	CountrySubDivision <CtrySubDvsn>	[0..1]	Text		117
	Country <Ctry>	[0..1]	CodeSet	C4	117
	AddressLine <AdrLine>	[0..7]	Text		117

### 3.1.5.3 FinancialInstitutionIdentification19

*Definition:* Identification of a financial institution.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	BICFI <BICFI>	[0..1]	IdentifierSet	C3	102
	ClearingSystemMemberIdentification <ClrSysMmbld>	[0..1]	±		102
	LEI <LEI>	[0..1]	IdentifierSet		102
	Other <Othr>	[0..1]	±		102

**3.1.5.3.1 BICFI <BICFI>***Presence:* [0..1]*Definition:* Business identification code of the financial institution.*Impacted by:* C3 "BICFI"*Datatype:* "BICFIDec2014Identifier" on page 130**Constraints**

- **BICFI**

Valid BICs for financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consist of eight (8) or eleven (11) contiguous characters.

**3.1.5.3.2 ClearingSystemMemberIdentification <ClrSysMmbld>***Presence:* [0..1]*Definition:* Information used to identify a member within a clearing system.

**ClearingSystemMemberIdentification <ClrSysMmbld>** contains the following elements (see "ClearingSystemMemberIdentification2" on page 96 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	ClearingSystemIdentification <ClrSysId>	[0..1]	±		96
	MemberIdentification <Mmbld>	[1..1]	Text		97

**3.1.5.3.3 LEI <LEI>***Presence:* [0..1]*Definition:* Legal entity identification as an alternate identification for a party.*Datatype:* "LEIIdentifier" on page 131**3.1.5.3.4 Other <Othr>***Presence:* [0..1]

*Definition:* Unique identification of an agent, as assigned by an institution, using an identification scheme.

**Other <Othr>** contains the following elements (see "GenericFinancialIdentification1" on page 103 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Identification <Id>	[1..1]	Text		103
	SchemeName <SchmeNm>	[0..1]			103
{Or	Code <Cd>	[1..1]	CodeSet		103
Or}	Proprietary <Prtry>	[1..1]	Text		103
	Issuer <Issr>	[0..1]	Text		103

### 3.1.5.4 GenericFinancialIdentification1

*Definition:* Information related to an identification of a financial institution.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Identification <Id>	[1..1]	Text		103
	SchemeName <SchmeNm>	[0..1]			103
{Or	Code <Cd>	[1..1]	CodeSet		103
Or}	Proprietary <Prtry>	[1..1]	Text		103
	Issuer <Issr>	[0..1]	Text		103

#### 3.1.5.4.1 Identification <Id>

*Presence:* [1..1]

*Definition:* Unique and unambiguous identification of a person.

*Datatype:* "Max35Text" on page 135

#### 3.1.5.4.2 SchemeName <SchmeNm>

*Presence:* [0..1]

*Definition:* Name of the identification scheme.

**SchemeName <SchmeNm>** contains one of the following **FinancialIdentificationSchemeName1Choice** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	Code <Cd>	[1..1]	CodeSet		103
Or}	Proprietary <Prtry>	[1..1]	Text		103

##### 3.1.5.4.2.1 Code <Cd>

*Presence:* [1..1]

*Definition:* Name of the identification scheme, in a coded form as published in an external list.

*Datatype:* "ExternalFinancialInstitutionIdentification1Code" on page 126

##### 3.1.5.4.2.2 Proprietary <Prtry>

*Presence:* [1..1]

*Definition:* Name of the identification scheme, in a free text form.

*Datatype:* "Max35Text" on page 135

##### 3.1.5.4.3 Issuer <Issr>

*Presence:* [0..1]

*Definition:* Entity that assigns the identification.

*Datatype:* "Max35Text" on page 135

## 3.1.6 Identification Information

### 3.1.6.1 GenericIdentification30

*Definition:* Information related to an identification, for example, party identification or account identification.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Identification <Id>	[1..1]	Text		104
	Issuer <Issr>	[1..1]	Text		104
	SchemeName <SchmeNm>	[0..1]	Text		104

#### 3.1.6.1.1 Identification <Id>

*Presence:* [1..1]

*Definition:* Proprietary information, often a code, issued by the data source scheme issuer.

*Datatype:* "Exact4AlphaNumericText" on page 133

#### 3.1.6.1.2 Issuer <Issr>

*Presence:* [1..1]

*Definition:* Entity that assigns the identification.

*Datatype:* "Max35Text" on page 135

#### 3.1.6.1.3 SchemeName <SchmeNm>

*Presence:* [0..1]

*Definition:* Short textual description of the scheme.

*Datatype:* "Max35Text" on page 135

## 3.1.7 Miscellaneous

### 3.1.7.1 Pagination1

*Definition:* Number used to sequence pages when it is not possible for data to be conveyed in a single message and the data has to be split across several pages (messages).

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	PageNumber <PgNb>	[1..1]	Text		104
	LastPageIndicator <LastPgInd>	[1..1]	Indicator		105

#### 3.1.7.1.1 PageNumber <PgNb>

*Presence:* [1..1]

*Definition:* Page number.

*Datatype:* "Max5NumericText" on page 135

### 3.1.7.1.2 LastPageIndicator <LastPgInd>

*Presence:* [1..1]

*Definition:* Indicates the last page.

*Datatype:* One of the following values must be used (see "YesNoIndicator" on page 131):

- *Meaning When True:* Yes
- *Meaning When False:* No

## 3.1.8 Party Identification

### 3.1.8.1 PartyIdentification273

*Definition:* Describes the details of an organisation.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Name <Nm>	[1..1]	Text		105
	LegalName <LgINm>	[0..1]	Text		105
	PostalAddress <PstlAdr>	[0..1]	±		106
	Identification <Id>	[1..1]			106
{Or	OrganisationIdentification <OrgId>	[1..1]			107
	AnyBIC <AnyBIC>	[0..1]	IdentifierSet	C2	107
	LEI <LEI>	[0..1]	IdentifierSet		108
	Other <Othr>	[0..*]			108
	Identification <Id>	[1..1]	Text		108
	SchemeName <SchmeNm>	[0..1]			108
{Or	Code <Cd>	[1..1]	CodeSet		108
Or}	Proprietary <Prtry>	[1..1]	Text		109
	Issuer <Issr>	[0..1]	Text		109
Or}	FinancialInstitutionIdentification <FIId>	[1..1]	±		109
	CountryOfResidence <CtryOfRes>	[0..1]	CodeSet	C4	109
	ContactDetails <CtctDtls>	[0..1]	±		109

#### 3.1.8.1.1 Name <Nm>

*Presence:* [1..1]

*Definition:* Name by which a party is known and which is usually used to identify that party.

*Datatype:* "Max140Text" on page 134

#### 3.1.8.1.2 LegalName <LgINm>

*Presence:* [0..1]

*Definition:* Name by which a party is known and which is usually used to identify that party.

*Datatype:* "Max140Text" on page 134

### 3.1.8.1.3 PostalAddress <PstlAdr>

*Presence:* [0..1]

*Definition:* Information that locates and identifies a specific address, as defined by postal services.

**PostalAddress <PstlAdr>** contains the following elements (see "PostalAddress27" on page 114 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	AddressType <AdrTp>	[0..1]			114
{Or	Code <Cd>	[1..1]	CodeSet		115
Or}	Proprietary <Prtry>	[1..1]	±		115
	CareOf <CareOf>	[0..1]	Text		115
	Department <Dept>	[0..1]	Text		115
	SubDepartment <SubDept>	[0..1]	Text		115
	StreetName <StrtNm>	[0..1]	Text		116
	BuildingNumber <BldgNb>	[0..1]	Text		116
	BuildingName <BldgNm>	[0..1]	Text		116
	Floor <Flr>	[0..1]	Text		116
	UnitNumber <UnitNb>	[0..1]	Text		116
	PostBox <PstBx>	[0..1]	Text		116
	Room <Room>	[0..1]	Text		116
	PostCode <PstCd>	[0..1]	Text		116
	TownName <TwnNm>	[0..1]	Text		117
	TownLocationName <TwnLctnNm>	[0..1]	Text		117
	DistrictName <DstrctNm>	[0..1]	Text		117
	CountrySubDivision <CtrySubDvsn>	[0..1]	Text		117
	Country <Ctry>	[0..1]	CodeSet	C4	117
	AddressLine <AdrLine>	[0..7]	Text		117

### 3.1.8.1.4 Identification <Id>

*Presence:* [1..1]

*Definition:* Unique and unambiguous way to identify the party.

**Identification <Id>** contains one of the following **Party56Choice** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	OrganisationIdentification <OrgId>	[1..1]			107
	AnyBIC <AnyBIC>	[0..1]	IdentifierSet	C2	107
	LEI <LEI>	[0..1]	IdentifierSet		108
	Other <Othr>	[0..*]			108
	Identification <Id>	[1..1]	Text		108
	SchemeName <SchmeNm>	[0..1]			108
{Or	Code <Cd>	[1..1]	CodeSet		108
Or}	Proprietary <Prtry>	[1..1]	Text		109
	Issuer </ssr>	[0..1]	Text		109
Or}	FinancialInstitutionIdentification <FIId>	[1..1]	±		109

#### 3.1.8.1.4.1 OrganisationIdentification <OrgId>

*Presence:* [1..1]

*Definition:* Unique and unambiguous way to identify an organisation.

**OrganisationIdentification <OrgId>** contains the following **OrganisationIdentification39** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	AnyBIC <AnyBIC>	[0..1]	IdentifierSet	C2	107
	LEI <LEI>	[0..1]	IdentifierSet		108
	Other <Othr>	[0..*]			108
	Identification <Id>	[1..1]	Text		108
	SchemeName <SchmeNm>	[0..1]			108
{Or	Code <Cd>	[1..1]	CodeSet		108
Or}	Proprietary <Prtry>	[1..1]	Text		109
	Issuer </ssr>	[0..1]	Text		109

##### 3.1.8.1.4.1.1 AnyBIC <AnyBIC>

*Presence:* [0..1]

*Definition:* Business identification code of the organisation.

*Impacted by:* C2 "AnyBIC"

*Datatype:* "AnyBICDec2014Identifier" on page 130

**Constraints**

- **AnyBIC**

Only a valid Business identifier code is allowed. Business identifier codes for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous characters.

**3.1.8.1.4.1.2 LEI <LEI>**

*Presence:* [0..1]

*Definition:* Legal entity identification as an alternate identification for a party.

*Datatype:* "LEIIdentifier" on page 131

**3.1.8.1.4.1.3 Other <Othr>**

*Presence:* [0..\*]

*Definition:* Unique identification of an organisation, as assigned by an institution, using an identification scheme.

**Other <Othr>** contains the following **GenericOrganisationIdentification3** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Identification <Id>	[1..1]	Text		108
	SchemeName <SchmeNm>	[0..1]			108
{Or	Code <Cd>	[1..1]	CodeSet		108
Or}	Proprietary <Prtry>	[1..1]	Text		109
	Issuer <Issr>	[0..1]	Text		109

**3.1.8.1.4.1.3.1 Identification <Id>**

*Presence:* [1..1]

*Definition:* Identification assigned by an institution.

*Datatype:* "Max256Text" on page 134

**3.1.8.1.4.1.3.2 SchemeName <SchmeNm>**

*Presence:* [0..1]

*Definition:* Name of the identification scheme.

**SchemeName <SchmeNm>** contains one of the following **OrganisationIdentificationSchemeName1Choice** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	Code <Cd>	[1..1]	CodeSet		108
Or}	Proprietary <Prtry>	[1..1]	Text		109

**3.1.8.1.4.1.3.2.1 Code <Cd>**

*Presence:* [1..1]

*Definition:* Name of the identification scheme, in a coded form as published in an external list.

*Datatype:* "ExternalOrganisationIdentification1Code" on page 127

#### 3.1.8.1.4.1.3.2.2 Proprietary <Prtry>

*Presence:* [1..1]

*Definition:* Name of the identification scheme, in a free text form.

*Datatype:* "Max35Text" on page 135

#### 3.1.8.1.4.1.3.3 Issuer <Issr>

*Presence:* [0..1]

*Definition:* Entity that assigns the identification.

*Datatype:* "Max35Text" on page 135

#### 3.1.8.1.4.2 FinancialInstitutionIdentification <FIId>

*Presence:* [1..1]

*Definition:* Unique and unambiguous identification of a financial institution.

**FinancialInstitutionIdentification <FIId>** contains the following elements (see "FinancialInstitutionIdentification19" on page 101 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	BICFI <BICFI>	[0..1]	IdentifierSet	C3	102
	ClearingSystemMemberIdentification <ClrSysMmbld>	[0..1]	±		102
	LEI <LEI>	[0..1]	IdentifierSet		102
	Other <Othr>	[0..1]	±		102

#### 3.1.8.1.5 CountryOfResidence <CtryOfRes>

*Presence:* [0..1]

*Definition:* Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

*Impacted by:* C4 "Country"

*Datatype:* "CountryCode" on page 124

##### Constraints

- **Country**

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

#### 3.1.8.1.6 ContactDetails <CtctDtls>

*Presence:* [0..1]

*Definition:* Indicates how to contact the party.

**ContactDetails <CtctDtls>** contains the following elements (see "Contact13" on page 110 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	NamePrefix <NmPrfx>	[0..1]	CodeSet		111
	Name <Nm>	[0..1]	Text		111
	PhoneNumber <PhneNb>	[0..1]	Text		111
	MobileNumber <MobNb>	[0..1]	Text		112
	FaxNumber <FaxNb>	[0..1]	Text		112
	URLAddress <URLAdr>	[0..1]	Text		112
	EmailAddress <EmailAdr>	[0..1]	Text		112
	EmailPurpose <EmailPurp>	[0..1]	Text		112
	JobTitle <JobTitl>	[0..1]	Text		112
	Responsibility <Rspnsblty>	[0..1]	Text		112
	Department <Dept>	[0..1]	Text		112
	Other <Othr>	[0..*]			113
	ChannelType <ChanlTp>	[1..1]	Text		113
	Identification <Id>	[0..1]	Text		113
	PreferredMethod <PrefrdMtd>	[0..1]	CodeSet		113

## 3.1.9 Person Identification

### 3.1.9.1 Contact13

*Definition:* Specifies the details of the contact person.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	NamePrefix <NmPrfx>	[0..1]	CodeSet		111
	Name <Nm>	[0..1]	Text		111
	PhoneNumber <PhneNb>	[0..1]	Text		111
	MobileNumber <MobNb>	[0..1]	Text		112
	FaxNumber <FaxNb>	[0..1]	Text		112
	URLAddress <URLAdr>	[0..1]	Text		112
	EmailAddress <EmailAdr>	[0..1]	Text		112
	EmailPurpose <EmailPurp>	[0..1]	Text		112
	JobTitle <JobTitl>	[0..1]	Text		112
	Responsibility <Rspnsblty>	[0..1]	Text		112
	Department <Dept>	[0..1]	Text		112
	Other <Othr>	[0..*]			113
	ChannelType <ChanlTp>	[1..1]	Text		113
	Identification <Id>	[0..1]	Text		113
	PreferredMethod <PrefrdMtd>	[0..1]	CodeSet		113

### 3.1.9.1.1 NamePrefix <NmPrfx>

*Presence:* [0..1]

*Definition:* Specifies the terms used to formally address a person.

*Datatype:* "NamePrefix2Code" on page 127

CodeName	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).

### 3.1.9.1.2 Name <Nm>

*Presence:* [0..1]

*Definition:* Name by which a party is known and which is usually used to identify that party.

*Datatype:* "Max140Text" on page 134

### 3.1.9.1.3 PhoneNumber <PhneNb>

*Presence:* [0..1]

*Definition:* Collection of information that identifies a phone number, as defined by telecom services.

*Datatype:* "PhoneNumber" on page 136

#### **3.1.9.1.4 MobileNumber <MobNb>**

*Presence:* [0..1]

*Definition:* Collection of information that identifies a mobile phone number, as defined by telecom services.

*Datatype:* "PhoneNumber" on page 136

#### **3.1.9.1.5 FaxNumber <FaxNb>**

*Presence:* [0..1]

*Definition:* Collection of information that identifies a FAX number, as defined by telecom services.

*Datatype:* "PhoneNumber" on page 136

#### **3.1.9.1.6 URLAddress <URLAdr>**

*Presence:* [0..1]

*Definition:* Address for the Universal Resource Locator (URL), for example an address used over the www (HTTP) service.

*Datatype:* "Max2048Text" on page 134

#### **3.1.9.1.7 EmailAddress <EmailAdr>**

*Presence:* [0..1]

*Definition:* Address for electronic mail (e-mail).

*Datatype:* "Max256Text" on page 134

#### **3.1.9.1.8 EmailPurpose <EmailPurp>**

*Presence:* [0..1]

*Definition:* Purpose for which an email address may be used.

*Datatype:* "Max35Text" on page 135

#### **3.1.9.1.9 JobTitle <JobTitl>**

*Presence:* [0..1]

*Definition:* Title of the function.

*Datatype:* "Max35Text" on page 135

#### **3.1.9.1.10 Responsibility <Rspnsblty>**

*Presence:* [0..1]

*Definition:* Role of a person in an organisation.

*Datatype:* "Max35Text" on page 135

#### **3.1.9.1.11 Department <Dept>**

*Presence:* [0..1]

*Definition:* Identification of a division of a large organisation or building.

*Datatype:* "Max70Text" on page 136

### 3.1.9.1.12 Other <Othr>

*Presence:* [0..\*]

*Definition:* Contact details in another form.

**Other <Othr>** contains the following **OtherContact1** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	ChannelType <ChanTp>	[1..1]	Text		113
	Identification <Id>	[0..1]	Text		113

#### 3.1.9.1.12.1 ChannelType <ChanTp>

*Presence:* [1..1]

*Definition:* Method used to contact the financial institution's contact for the specific tax region.

*Datatype:* "Max4Text" on page 135

#### 3.1.9.1.12.2 Identification <Id>

*Presence:* [0..1]

*Definition:* Communication value such as phone number or email address.

*Datatype:* "Max128Text" on page 133

### 3.1.9.1.13 PreferredMethod <PrefrdMtd>

*Presence:* [0..1]

*Definition:* Preferred method used to reach the contact.

*Datatype:* "PreferredContactMethod2Code" on page 128

CodeName	Name	Definition
MAIL	Email	Preferred method used to reach the contact is per email.
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.
ONLI	Online	Preferred method used to reach the contact is online.
PHON	Phone	Preferred method used to reach the contact is per phone.

## 3.1.10 Postal Address

### 3.1.10.1 PostalAddress27

*Definition:* Information that locates and identifies a specific address, as defined by postal services.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	AddressType <AdrTp>	[0..1]			114
{Or	Code <Cd>	[1..1]	CodeSet		115
Or}	Proprietary <Prtry>	[1..1]	±		115
	CareOf <CareOf>	[0..1]	Text		115
	Department <Dept>	[0..1]	Text		115
	SubDepartment <SubDept>	[0..1]	Text		115
	StreetName <StrtNm>	[0..1]	Text		116
	BuildingNumber <BldgNb>	[0..1]	Text		116
	BuildingName <BldgNm>	[0..1]	Text		116
	Floor <Flr>	[0..1]	Text		116
	UnitNumber <UnitNb>	[0..1]	Text		116
	PostBox <PstBx>	[0..1]	Text		116
	Room <Room>	[0..1]	Text		116
	PostCode <PstCd>	[0..1]	Text		116
	TownName <TwnNm>	[0..1]	Text		117
	TownLocationName <TwnLctnNm>	[0..1]	Text		117
	DistrictName <DstrctNm>	[0..1]	Text		117
	CountrySubDivision <CtrySubDvsn>	[0..1]	Text		117
	Country <Ctry>	[0..1]	CodeSet	C4	117
	AddressLine <AdrLine>	[0..7]	Text		117

#### 3.1.10.1.1 AddressType <AdrTp>

*Presence:* [0..1]

*Definition:* Identifies the nature of the postal address.

**AddressType <AdrTp>** contains one of the following **AddressType3Choice** elements

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	Code <Cd>	[1..1]	CodeSet		115
Or}	Proprietary <Prtry>	[1..1]	±		115

**3.1.10.1.1.1 Code <Cd>***Presence:* [1..1]*Definition:* Type of address expressed as a code.*Datatype:* "AddressType2Code" on page 120

CodeName	Name	Definition
ADDR	Postal	Address is the complete postal address.
PBOX	POBox	Address is a postal office (PO) box.
HOME	Residential	Address is the home address.
BIZZ	Business	Address is the business address.
MLTO	MailTo	Address is the address to which mail is sent.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.

**3.1.10.1.1.2 Proprietary <Prtry>***Presence:* [1..1]*Definition:* Type of address expressed as a proprietary code.

**Proprietary <Prtry>** contains the following elements (see "[GenericIdentification30](#)" on page 104 for details)

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
	Identification <Id>	[1..1]	Text		104
	Issuer <Issr>	[1..1]	Text		104
	SchemeName <SchmeNm>	[0..1]	Text		104

**3.1.10.1.2 CareOf <CareOf>***Presence:* [0..1]

*Definition:* Identifies an addressee that is accepting the correspondence for the intended recipient. Using care of ensures the correspondence reaches the right recipient rather than getting returned to the sender.

*Datatype:* "Max140Text" on page 134**3.1.10.1.3 Department <Dept>***Presence:* [0..1]*Definition:* Identification of a division of a large organisation or building.*Datatype:* "Max70Text" on page 136**3.1.10.1.4 SubDepartment <SubDept>***Presence:* [0..1]*Definition:* Identification of a sub-division of a large organisation or building.*Datatype:* "Max70Text" on page 136

**3.1.10.1.5 StreetName <StrtNm>**

*Presence:* [0..1]

*Definition:* Name of a street or thoroughfare.

*Datatype:* "Max140Text" on page 134

**3.1.10.1.6 BuildingNumber <BldgNb>**

*Presence:* [0..1]

*Definition:* Number that identifies the position of a building on a street.

*Datatype:* "Max16Text" on page 134

**3.1.10.1.7 BuildingName <BldgNm>**

*Presence:* [0..1]

*Definition:* Name of the building or house.

*Datatype:* "Max140Text" on page 134

**3.1.10.1.8 Floor <Flr>**

*Presence:* [0..1]

*Definition:* Floor or storey within a building.

*Datatype:* "Max70Text" on page 136

**3.1.10.1.9 UnitNumber <UnitNb>**

*Presence:* [0..1]

*Definition:* Identifies a flat or dwelling within the building.

*Datatype:* "Max16Text" on page 134

**3.1.10.1.10 PostBox <PstBx>**

*Presence:* [0..1]

*Definition:* Numbered box in a post office, assigned to a person or organisation, where letters are kept until called for.

*Datatype:* "Max16Text" on page 134

**3.1.10.1.11 Room <Room>**

*Presence:* [0..1]

*Definition:* Building room number.

*Datatype:* "Max70Text" on page 136

**3.1.10.1.12 PostCode <PstCd>**

*Presence:* [0..1]

*Definition:* Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

*Datatype:* "Max16Text" on page 134

**3.1.10.1.13 TownName <TwnNm>**

*Presence:* [0..1]

*Definition:* Name of a built-up area, with defined boundaries, and a local government.

*Datatype:* "Max140Text" on page 134

**3.1.10.1.14 TownLocationName <TwnLctnNm>**

*Presence:* [0..1]

*Definition:* Specific location name within the town.

*Datatype:* "Max140Text" on page 134

**3.1.10.1.15 DistrictName <DstrctNm>**

*Presence:* [0..1]

*Definition:* Identifies a subdivision within a country sub-division.

*Datatype:* "Max140Text" on page 134

**3.1.10.1.16 CountrySubDivision <CtrySubDvsn>**

*Presence:* [0..1]

*Definition:* Identifies a subdivision of a country such as state, region, county.

*Datatype:* "Max35Text" on page 135

**3.1.10.1.17 Country <Ctry>**

*Presence:* [0..1]

*Definition:* Nation with its own government.

*Impacted by:* C4 "Country"

*Datatype:* "CountryCode" on page 124

**Constraints**

- **Country**

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

**3.1.10.1.18 AddressLine <AdrLine>**

*Presence:* [0..7]

*Definition:* Information that locates and identifies a specific address, as defined by postal services, presented in free format text.

*Datatype:* "Max70Text" on page 136

**3.1.11 System Identification****3.1.11.1 ClearingSystemIdentification2Choice**

*Definition:* Choice of a clearing system identifier.

Or	MessageElement<XML Tag>	Mult.	Type	Constr. No.	Page
{Or	Code <Cd>	[1..1]	CodeSet		118
Or}	Proprietary <Prtry>	[1..1]	Text		118

### 3.1.11.1.1 Code <Cd>

*Presence:* [1..1]

*Definition:* Identification of a clearing system, in a coded form as published in an external list.

*Datatype:* "ExternalClearingSystemIdentification1Code" on page 126

### 3.1.11.1.2 Proprietary <Prtry>

*Presence:* [1..1]

*Definition:* Identification code for a clearing system, that has not yet been identified in the list of clearing systems.

*Datatype:* "Max35Text" on page 135

## 3.2 Message Datatypes

### 3.2.1 Amount

#### 3.2.1.1 ActiveOrHistoricCurrencyAndAmount

*Definition:* A number of monetary units specified in an active or a historic currency where the unit of currency is explicit and compliant with ISO 4217.

*Type:* Amount

This data type contains the following XML attribute:

Name	Attribute XML Name	Datatype
Currency	Ccy	"ActiveOrHistoricCurrencyCode" on page 119

#### Format

minInclusive	0
totalDigits	18
fractionDigits	5

#### Constraints

- **ActiveOrHistoricCurrency**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3)

contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

- **CurrencyAmount**

The number of fractional digits (or minor unit of currency) must comply with ISO 4217.

Note: The decimal separator is a dot.

## 3.2.2 CodeSet

### 3.2.2.1 AccountLevel1Code

*Definition:* Defines the level of an account within the account hierarchy.

*Type:* CodeSet

CodeName	Name	Definition
INTM	Intermediate	Intermediate level within an account hierarchy.
SMRY	Summary	Highest level within an account hierarchy.

### 3.2.2.2 AccountLevel2Code

*Definition:* Defines the level of an account within the account hierarchy.

*Type:* CodeSet

CodeName	Name	Definition
INTM	Intermediate	Intermediate level within an account hierarchy.
SMRY	Summary	Highest level within an account hierarchy.
DETL	Detail	Account is a real deposit/current account.

### 3.2.2.3 ActiveOrHistoricCurrencyCode

*Definition:* A code allocated to a currency by a Maintenance Agency under an international identification scheme, as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds".

*Type:* CodeSet

#### Format

pattern [A-Z]{3,3}

#### Constraints

- **ActiveOrHistoricCurrency**

The Currency Code must be registered, or have already been registered. Valid active or historic currency codes are registered with the ISO 4217 Maintenance Agency, consist of three (3)

contiguous letters, and may be or not be withdrawn on the day the message containing the Currency is exchanged.

### 3.2.2.4 AddressType2Code

*Definition:* Specifies the type of address.

*Type:* CodeSet

CodeName	Name	Definition
ADDR	Postal	Address is the complete postal address.
PBOX	POBox	Address is a postal office (PO) box.
HOME	Residential	Address is the home address.
BIZZ	Business	Address is the business address.
MLTO	MailTo	Address is the address to which mail is sent.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.

### 3.2.2.5 BalanceAdjustmentType1Code

*Definition:* Defines the type of allowed balance adjustment.

*Type:* CodeSet

CodeName	Name	Definition
LDGR	Ledger	Adjustment applies to the average ledger (book) balance.
FLOT	Float	Adjustment applies to the average float (unavailable) balance.
CLLD	Collected	Adjustment applies to the average collected (book less float) balance.

### 3.2.2.6 BillingChargeMethod1Code

*Definition:* Defines how the billing charge is calculated.

*Type:* CodeSet

CodeName	Name	Definition
UPRC	UnitPriced	Charge is calculated as the product of volume times unit price. This is the default value.
STAM	StampDuty	Service is specifically identified as a stamp duty for accounting purposes. The charge is calculated as the product of volume times unit price.
BCHG	BaseCharge	Fee charged in addition to the volume times unit price when one or more units of the service are provided.
DPRC	DiscountPrice	Charge is calculated using a price which is lower than the quoted bank price.

CodeName	Name	Definition
FCHG	FlatCharge	Fixed charge not tied to volume or unit price. Flat Charge fees do not require a volume or Unit Price.
LPRC	ListPrice	A single service where the volume, original charge and balance required are the totals of two or more pricing tiers.
MCHG	MinimumCharge	Lowest charge possible for the service.
MXRD	MaximumReduction	Maximum charge possible for the service even though volume times unit price exceeds the maximum reduction value.
TIR1	Tier1	Line item represents a charge for tier 1 in a multi tier, volume discount charging structure. Designates the tier 1 used to charge out the volume that falls in that tier.
TIR2	Tier2	Line item represents a charge for tier 2 in a multi tier, volume discount charging structure. Designates the tier 2 used to charge out the volume that falls in that tier.
TIR3	Tier3	Line item represents a charge for tier 3 in a multi tier, volume discount charging structure. Designates the tier 3 used to charge out the volume that falls in that tier.
TIR4	Tier4	Line item represents a charge for tier 4 in a multi tier, volume discount charging structure. Designates the tier 4 used to charge out the volume that falls in that tier.
TIR5	Tier5	Line item represents a charge for tier 5 in a multi tier, volume discount charging structure. Designates the tier 5 used to charge out the volume that falls in that tier.
TIR6	Tier6	Line item represents a charge for tier 6 in a multi tier, volume discount charging structure. Designates the tier 6 used to charge out the volume that falls in that tier.
TIR7	Tier7	Line item represents a charge for tier 7 in a multi tier, volume discount charging structure. Designates the tier 7 used to charge out the volume that falls in that tier.
TIR8	Tier8	Line item represents a charge for tier 8 in a multi tier, volume discount charging structure. Designates the tier 8 used to charge out the volume that falls in that tier.
TIR9	Tier9	Line item represents a charge for tier 9 in a multi tier, volume discount charging structure. Designates the tier 9 used to

CodeName	Name	Definition
		charge out the volume that falls in that tier.
TPRC	ThresholdPrice	Unit price is determined by the total volume.
ZPRC	ZonePrice	Indicates different prices for the same service. Typically used in a relationship summary statement where the same service has a different price for different accounts in the relationship.
BBSE	BalanceBased	Charge is calculated as a balance times a per-annum rate multiplied by a time factor.

### 3.2.2.7 BillingCurrencyType1Code

*Definition:* Defines the type of currency to be used for the billing of a service.

*Type:* CodeSet

CodeName	Name	Definition
ACCT	Account	Currency type used for the billing is the account currency.
STLM	Settlement	Currency type used for the billing is the settlement currency.
PRCG	Pricing	Currency type used for the billing is the pricing currency.

### 3.2.2.8 BillingCurrencyType2Code

*Definition:* Defines the type of currency to be used for the billing of a service.

*Type:* CodeSet

CodeName	Name	Definition
ACCT	Account	Currency type used for the billing is the account currency.
STLM	Settlement	Currency type used for the billing is the settlement currency.
PRCG	Pricing	Currency type used for the billing is the pricing currency.
HOST	Host	Currency type used for the billing is the host currency.

### 3.2.2.9 BillingStatementStatus1Code

*Definition:* Defines the status of the billing statement.

*Type:* CodeSet

CodeName	Name	Definition
ORGN	Original	Statement is the original statement.

CodeName	Name	Definition
RPLC	Replace	Statement replaces the original statement.
TEST	Test	Statement is a test statement.

### 3.2.2.10 BillingSubServiceQualifier1Code

*Definition:* Qualifies the content of the subservice code.

*Type:* CodeSet

CodeName	Name	Definition
LBOX	Lockbox	Subservice code contains a lockbox number which identifies the lockbox using the service.
STOR	Store	Subservice code contains a store number which identifies the store using the service.
BILA	BilaterallyAgreed	Meaning of the subservice code is established by the trading partners.
SEQN	SequenceNumber	Subservice code is an arbitrary sequence number used to uniquely identify this Service and prevent duplicate services within this statement.
MACT	MemberAccount	Subservice code is the account number of a member of a relationship structure. This allows a parent statement to include the same service as rolled up from its member accounts and still avoid duplicate service identification within the statement.

### 3.2.2.11 BillingTaxCalculationMethod1Code

*Definition:* Defines the tax calculation method.

*Type:* CodeSet

CodeName	Name	Definition
NTAX	NoTaxes	No taxes are calculated or due on this account.
MTDA	MethodA	Line-by-line per service calculation and settlement currency translation.
MTDB	MethodB	Line-by-line per service calculation with settlement currency translation performed on the statement tax total.
MTDC	MethodC	Group tax calculation with group settlement currency translation.
MTDD	MethodD	Line-by-line per service calculation with all charges and taxes due in the pricing currency.
UDFD	Undefined	Tax calculation method is not defined or unknown.

### 3.2.2.12 CompensationMethod1Code

*Definition:* Defines if and how charges and taxes due are paid to the financial institution.

*Type:* CodeSet

CodeName	Name	Definition
NOCP	No	Account does not pay and charges or taxes due.
DBTD	Debited	Account is debited for any charges or taxes due.
INVD	Invoiced	Account or summary account is invoiced for any charges or taxes due.
DDBT	DelayedDebit	Account is automatically debited on a future date.

### 3.2.2.13 CountryCode

*Definition:* Code to identify a country, a dependency, or another area of particular geopolitical interest, on the basis of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

*Type:* CodeSet

#### Format

pattern [A-Z]{2,2}

#### Constraints

- **Country**

The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

### 3.2.2.14 ExternalAccountIdentification1Code

*Definition:* Specifies the external account identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from [www.iso20022.org](http://www.iso20022.org).

*Type:* CodeSet

#### Format

minLength 1

maxLength 4

### 3.2.2.15 ExternalBankTransactionDomain1Code

*Definition:* Specifies the bank transaction code domain, as published in an external bank transaction code domain code list.

External code sets can be downloaded from [www.iso20022.org](http://www.iso20022.org).

Type: CodeSet

**Format**

minLength	1
maxLength	4

**3.2.2.16 ExternalBankTransactionFamily1Code**

*Definition:* Specifies the bank transaction code family, as published in an external bank transaction code family code list.

External code sets can be downloaded from [www.iso20022.org](http://www.iso20022.org).

Type: CodeSet

**Format**

minLength	1
maxLength	4

**3.2.2.17 ExternalBankTransactionSubFamily1Code**

*Definition:* Specifies the bank transaction code sub-family, as published in an external bank transaction code sub-family code list.

External code sets can be downloaded from [www.iso20022.org](http://www.iso20022.org).

Type: CodeSet

**Format**

minLength	1
maxLength	4

**3.2.2.18 ExternalBillingBalanceType1Code**

*Definition:* Defines the balance of the billing service, as published in an external billing balance code list.

External code sets can be downloaded from [www.iso20022.org](http://www.iso20022.org).

Type: CodeSet

**Format**

minLength	1
maxLength	4

**3.2.2.19 ExternalBillingCompensationType1Code**

*Definition:* Defines the type of billing compensation to be applied, as published in an external billing compensation type code list.

External code sets can be downloaded from [www.iso20022.org](http://www.iso20022.org).

Type: CodeSet

**Format**

minLength	1
maxLength	4

**3.2.2.20 ExternalBillingRateIdentification1Code**

*Definition:* Specifies the type of billing rate or factor, as published in an external billing rate identification code list.

External code sets can be downloaded from [www.iso20022.org](http://www.iso20022.org).

*Type:* CodeSet

**Format**

minLength	1
maxLength	4

**3.2.2.21 ExternalCashAccountType1Code**

*Definition:* Specifies the nature, or use, of the cash account in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from [www.iso20022.org](http://www.iso20022.org).

*Type:* CodeSet

**Format**

minLength	1
maxLength	4

**3.2.2.22 ExternalClearingSystemIdentification1Code**

*Definition:* Specifies the clearing system identification code, as published in an external clearing system identification code list.

External code sets can be downloaded from [www.iso20022.org](http://www.iso20022.org).

*Type:* CodeSet

**Format**

minLength	1
maxLength	5

**3.2.2.23 ExternalFinancialInstitutionIdentification1Code**

*Definition:* Specifies the external financial institution identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from [www.iso20022.org](http://www.iso20022.org).

*Type:* CodeSet

**Format**

minLength	1
maxLength	4

### 3.2.2.24 ExternalOrganisationIdentification1Code

*Definition:* Specifies the external organisation identification scheme name code in the format of character string with a maximum length of 4 characters.

The list of valid codes is an external code list published separately.

External code sets can be downloaded from [www.iso20022.org](http://www.iso20022.org).

*Type:* CodeSet

**Format**

minLength	1
maxLength	4

### 3.2.2.25 ExternalProxyAccountType1Code

*Definition:* Specifies the external proxy account type code, as published in the proxy account type external code set.

External code sets can be downloaded from [www.iso20022.org](http://www.iso20022.org).

*Type:* CodeSet

**Format**

minLength	1
maxLength	4

### 3.2.2.26 NamePrefix2Code

*Definition:* Specifies the terms used to formally address a person.

*Type:* CodeSet

CodeName	Name	Definition
DOCT	Doctor	Title of the person is Doctor or Dr.
MADM	Madam	Title of the person is Madam.
MISS	Miss	Title of the person is Miss.
MIST	Mister	Title of the person is Mister or Mr.
MIKS	GenderNeutral	Title of the person is gender neutral (Mx).

**3.2.2.27 PreferredContactMethod2Code**

*Definition:* Preferred method used to reach the individual contact within an organisation.

*Type:* CodeSet

CodeName	Name	Definition
MAIL	Email	Preferred method used to reach the contact is per email.
FAXX	Fax	Preferred method used to reach the contact is per fax.
LETT	Letter	Preferred method used to reach the contact is per letter.
CELL	MobileOrCellPhone	Preferred method used to reach the contact is per mobile or cell phone.
ONLI	Online	Preferred method used to reach the contact is online.
PHON	Phone	Preferred method used to reach the contact is per phone.

**3.2.2.28 ServiceAdjustmentType1Code**

*Definition:* Defines the type of allowed service adjustment.

*Type:* CodeSet

CodeName	Name	Definition
COMP	Compensable	Adjustment applies to a service which is balance compensable. Earnings credits based on average balances maintained in the account can be used to offset the service charge.
NCMP	NonCompensable	Adjustment applies to a service which is not balance compensable. Balance based credits cannot be used to offset the service charge.

**3.2.2.29 ServicePaymentMethod1Code**

*Definition:* Defines the method for the payment of the services charge.

*Type:* CodeSet

CodeName	Name	Definition
BCMP	BalanceCompensable	Allows the bank to offset a service charge with interest earned on the deposit account balance. The actual charges arising from balance compensable services are always calculated and charged at month end. Used in the USA.
FLAT	HardCharge	Charge is not balance compensable and is due. In the absence of balance compensable charges in Europe, this would be the most commonly used code for services that are billed at month end.

CodeName	Name	Definition
PVCH	PreviouslyCharged	Charge was previously assessed and is not part of the amount due as of this statement. This code is used for charges that were debited as the chargeable event took place.
INVS	InvoicedSeparately	Charge was previously invoiced and is not part of the amount due as of this statement. This code is used for charges that were invoiced as the chargeable event took place.
WVED	Waived	Charge is waived and not due. The waived amount must be placed in original charge amount.
FREE	Free	Service is free, no charge, to the customer.

### 3.2.2.30 ServiceTaxDesignation1Code

*Definition:* Defines the taxable status of the service.

*Type:* CodeSet

CodeName	Name	Definition
XMPT	Exempt	No taxes are due.
ZERO	ZeroRate	Tax is due but at zero percent and a zero charge.
TAXE	Taxable	One or more taxes are due on this service.

## 3.2.3 Date

### 3.2.3.1 ISODate

*Definition:* A particular point in the progression of time in a calendar year expressed in the YYYY-MM-DD format. This representation is defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

*Type:* Date

## 3.2.4 DateTime

### 3.2.4.1 ISODateTime

*Definition:* A particular point in the progression of time defined by a mandatory date and a mandatory time component, expressed in either UTC time format (YYYY-MM-DDThh:mm:ss.sssZ), local time with UTC offset format (YYYY-MM-DDThh:mm:ss.sss+/-hh:mm), or local time format (YYYY-MM-DDThh:mm:ss.sss). These representations are defined in "XML Schema Part 2: Datatypes Second Edition - W3C Recommendation 28 October 2004" which is aligned with ISO 8601.

Note on the time format:

1) beginning / end of calendar day

00:00:00 = the beginning of a calendar day

24:00:00 = the end of a calendar day

2) fractions of second in time format

Decimal fractions of seconds may be included. In this case, the involved parties shall agree on the maximum number of digits that are allowed.

*Type:* DateTime

## 3.2.5 IdentifierSet

### 3.2.5.1 AnyBICDec2014Identifier

*Definition:* Code allocated to a financial or non-financial institution by the ISO 9362 Registration Authority, as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

*Type:* IdentifierSet

*Identification scheme:* SWIFT; AnyBICIdentifier

#### Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

#### Constraints

- **AnyBIC**

Only a valid Business identifier code is allowed. Business identifier codes for financial or non-financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consists of eight (8) or eleven (11) contiguous characters.

### 3.2.5.2 BICFIDec2014Identifier

*Definition:* Code allocated to a financial institution by the ISO 9362 Registration Authority as described in ISO 9362: 2014 - "Banking - Banking telecommunication messages - Business identifier code (BIC)".

*Type:* IdentifierSet

*Identification scheme:* SWIFT; BICIdentifier

#### Format

pattern [A-Z0-9]{4,4}[A-Z]{2,2}[A-Z0-9]{2,2}([A-Z0-9]{3,3}){0,1}

**Constraints**

- **BICFI**

Valid BICs for financial institutions are registered and published by the ISO 9362 Registration Authority in the ISO directory of BICs, and consist of eight (8) or eleven (11) contiguous characters.

**3.2.5.3 IBAN2007Identifier**

*Definition:* The International Bank Account Number is a code used internationally by financial institutions to uniquely identify the account of a customer at a financial institution as described in the 2007 edition of the ISO 13616 standard "Banking and related financial services - International Bank Account Number (IBAN)" and replaced by the more recent edition of the standard.

*Type:* IdentifierSet

*Identification scheme:* National Banking Association; International Bank Account Number (ISO 13616)

**Format**

pattern [A-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}

**Constraints**

- **IBAN**

A valid IBAN consists of all three of the following components: Country Code, check digits and BBAN.

**3.2.5.4 LEIIdentifier**

*Definition:* Legal Entity Identifier is a code allocated to a party as described in ISO 17442 "Financial Services - Legal Entity Identifier (LEI)".

*Type:* IdentifierSet

*Identification scheme:* Global LEI System; LEIIdentifier

**Format**

pattern [A-Z0-9]{18,18}[0-9]{2,2}

**3.2.6 Indicator****3.2.6.1 PlusOrMinusIndicator**

*Definition:* Indicates a positive or negative value.

*Type:* Indicator

*Meaning When True:* Plus

*Meaning When False:* Minus

**3.2.6.2 YesNoIndicator**

*Definition:* Indicates a "Yes" or "No" type of answer for an element.

*Type:* Indicator

*Meaning When True:* Yes

Meaning When False: No

### 3.2.7 Quantity

#### 3.2.7.1 DecimalNumber

Definition: Number of objects represented as a decimal number, for example 0.75 or 45.6.

Type: Quantity

Format

totalDigits	18
fractionDigits	17

#### 3.2.7.2 Number

Definition: Number of objects represented as an integer.

Type: Quantity

Format

totalDigits	18
fractionDigits	0

### 3.2.8 Rate

#### 3.2.8.1 BaseOneRate

Definition: Rate expressed as a decimal, for example, 0.7 is 7/10 and 70%.

Type: Rate

Format

totalDigits	11
fractionDigits	10
baseValue	1.0

#### 3.2.8.2 PercentageRate

Definition: Rate expressed as a percentage, that is, in hundredths, for example, 0.7 is 7/10 of a percent, and 7.0 is 7%.

Type: Rate

Format

totalDigits	11
fractionDigits	10
baseValue	100.0

## 3.2.9Text

### 3.2.9.1Exact4AlphaNumericText

*Definition:* Specifies an alphanumeric string with a length of 4 characters.

*Type:* Text

**Format**

pattern	[a-zA-Z0-9]{4}
---------	----------------

### 3.2.9.2Max105Text

*Definition:* Specifies a character string with a maximum length of 105 characters.

*Type:* Text

**Format**

minLength	1
maxLength	105

### 3.2.9.3Max10Text

*Definition:* Specifies a character string with a maximum length of 10 characters.

*Type:* Text

**Format**

minLength	1
maxLength	10

### 3.2.9.4Max128Text

*Definition:* Specifies a character string with a maximum length of 128 characters.

*Type:* Text

**Format**

minLength	1
maxLength	128

### 3.2.9.5Max12Text

*Definition:* Specifies a character string with a maximum length of 12 characters.

*Type:* Text

**Format**

minLength	1
maxLength	12

3.2.9.6 Max140Text

*Definition:* Specifies a character string with a maximum length of 140 characters.  
*Type:* Text

Format	
minLength	1
maxLength	140

3.2.9.7 Max16Text

*Definition:* Specifies a character string with a maximum length of 16 characters.  
*Type:* Text

Format	
minLength	1
maxLength	16

3.2.9.8 Max2048Text

*Definition:* Specifies a character string with a maximum length of 2048 characters.  
*Type:* Text

Format	
minLength	1
maxLength	2048

3.2.9.9 Max20Text

*Definition:* Specifies a character string with a maximum length of 20 characters.  
*Type:* Text

Format	
minLength	1
maxLength	20

3.2.9.10 Max256Text

*Definition:* Specifies a character string with a maximum length of 256 characters.  
*Type:* Text

Format	
minLength	1
maxLength	256

3.2.9.11 Max34Text

*Definition:* Specifies a character string with a maximum length of 34 characters.  
*Type:* Text

Format	
minLength	1
maxLength	34

3.2.9.12 Max35Text

*Definition:* Specifies a character string with a maximum length of 35 characters.  
*Type:* Text

Format	
minLength	1
maxLength	35

3.2.9.13 Max40Text

*Definition:* Specifies a character string with a maximum length of 40 characters.  
*Type:* Text

Format	
minLength	1
maxLength	40

3.2.9.14 Max4Text

*Definition:* Specifies a character string with a maximum length of 4 characters.  
*Type:* Text

Format	
minLength	1
maxLength	4

3.2.9.15 Max5NumericText

*Definition:* Specifies a numeric string with a maximum length of 5 digits.  
*Type:* Text

Format	
pattern	[0-9]{1,5}

3.2.9.16 Max6Text

Definition: Specifies a character string with a maximum length of 6 characters.

Type: Text

Format

minLength	1
maxLength	6

3.2.9.17 Max70Text

Definition: Specifies a character string with a maximum length of 70characters.

Type: Text

Format

minLength	1
maxLength	70

3.2.9.18 Max8Text

Definition: Specifies a character string with a maximum length of 8 characters.

Type: Text

Format

minLength	1
maxLength	8

3.2.9.19 PhoneNumber

Definition: The collection of information which identifies a specific phone or FAX number as defined by telecom services.

It consists of a "+" followed by the country code (from 1 to 3 characters) then a "-" and finally, any combination of numbers, "(", ")", "+" and "-" (up to 30 characters).

Type: Text

Format

pattern	\+[0-9]{1,3}-[0-9()+\-]{1,30}
---------	-------------------------------